

Digi-Key 零件编号	描述	封装	1	25	100	
COP8CCR9IMT7-ND	8位微控制器, 带 32K 闪存和 10 位模数转换器*	8-Bit Microcontroller with 32K Flash, 10-Bit A/D*	48-TSSOP	16.80	15.68	14.56
COP8CDE9IMT9-ND	8位微控制器, 带 8K 闪存和 10 位模数转换器*	8-Bit Microcontroller with 8K Flash, 10-Bit A/D*	48-TSSOP	5.73	4.54	3.64
COP8CFE9HVA9-ND	8位微控制器, 带 8K 闪存和 10 位模数转换器*	8-Bit Microcontroller with 8K Flash, 10-Bit A/D*	44-PLCC	5.29	4.19	3.36
COP8CFE9IMT9-ND	8位微控制器, 带 8K 闪存和 10 位模数转换器*	8-Bit Microcontroller with 8K Flash, 10-Bit A/D*	48-TSSOP	5.48	4.34	3.48
COP8SDE9IMT9-ND	8位微控制器, 带 8K 闪存*	8-Bit Microcontroller with 8K Flash*	48-TSSOP	5.40	4.27	3.42
COP8SGE7VEJ8-ND	8位 OTP 微控制器, 8K 内存, 2 个比较器 USART*	8-Bit OTP Microcontroller, 8K Memory, 2 Comparators USART*	44-LQFP	12.65	10.85	9.62
COP8SGE7Z8M8-ND	8位 OTP 微控制器, 8K 内存, 2 个比较器 USART*	8-Bit OTP Microcontroller, 8K Memory, 2 Comparators USART*	28-SOIC	10.06	7.96	6.38
COP8SGE7Z8N8-ND	8位 OTP 微控制器, 8K 内存, 2 个比较器 USART*	8-Bit OTP Microcontroller, 8K Memory, 2 Comparators USART*	28-Dip	9.05	7.76	6.88
COP8SGE744V8-ND	8位 OTP 微控制器, 8K 内存, 2 个比较器 USART*	8-Bit OTP Microcontroller, 8K Memory, 2 Comparators USART*	44-PLCC	10.89	9.33	8.28
COP8SGR7Z8M8-ND	8位 OTP 微控制器, 32K 内存, 2 个比较器 USART*	8-Bit OTP Microcontroller, 32K Memory, 2 Comparators USART*	28-SOIC	8.84	6.99	5.60
COP8SGR7Z8N8-ND	8位 OTP 微控制器, 32K 内存, 2 个比较器 USART*	8-Bit OTP Microcontroller, 32K Memory, 2 Comparators USART*	28-Dip	9.05	7.76	6.88
COP8SGR744V8-ND	8位 OTP 微控制器, 32K 内存, 2 个比较器 USART*	8-Bit OTP Microcontroller, 32K Memory, 2 Comparators USART*	44-PLCC	10.08	8.64	7.67
CR16MAS9VJE9-ND	16 位 CAN CompactRISC™ 闪存微控制器*	16-Bit, CAN CompactRISC™ Flash Microcontroller*	80-PQFP	20.25	18.90	17.55
CR16MCS9VJE9-ND	16 位 CAN CompactRISC™ 闪存微控制器*	16-Bit, CAN CompactRISC™ Flash Microcontroller*	80-PQFP	20.25	18.90	17.55
LF156H-ND	单片 JFET 输入运算放大器*	Mono JFET In Op Amp*	TO-5	5.67	4.49	3.60
LF256H-ND	宽带 JFET 运算放大器*	Wideband JFET Op Amp*	TO-5	5.67	4.49	3.60
LF298M-ND	单片式采样和保持电路*	Monolithic Sample and Hold Circuit*	14-SOIC	3.10	2.36	1.80
LF347BN-ND	四路 Bi-FET 运算放大器*	Quad Bi-FET Op Amp*	14-Dip	2.51	1.87	1.38
LF347M-ND	四路 Bi-FET 运算放大器*	Quad Bi-FET Op Amp*	14-SOIC	2.64	1.96	1.45
LF347MXTR-ND	四路 Bi-FET 运算放大器*	Quad Bi-FET Op Amp*	14-SOIC	2656.25/2,500		
LF347NNS-ND	四路 Bi-FET 运算放大器*	Quad Bi-FET Op Amp*	14-Dip	2.26	1.68	1.25
LF353M-ND	宽带双路 JFET 运算放大器*	Wideband Dual JFET Op Amp*	8-SOIC	1.24	.91	.66
LF353MXCT-ND	宽带双路 JFET 运算放大器*	Wideband Dual JFET Op Amp*	8-SOIC	1.24	.91	.66
LF353MXTR-ND	宽带双路 JFET 运算放大器*	Wideband Dual JFET Op Amp*	8-SOIC	1051.88/2,500		
LF353NNS-ND	宽带双路 JFET 输入运算放大器*	Wideband Dual JFET Input Op Amp*	8-Dip	1.35	.99	.72
LF356H-ND	单片式 JFET 输入运算放大器*	Monolithic JFET Input Op Amp*	TO-5	6.53	5.17	4.14
LF356M-ND	单片式 JFET 输入运算放大器*	Monolithic JFET Input Op Amp*	8-SOIC	1.13	.83	.60
LF356N-ND	单片式 JFET 输入运算放大器*	Monolithic JFET Input Op Amp*	8-Dip	1.16	.86	.62
LF398AN-ND	单片式采样和保持电路*	Monolithic Sample and Hold Circuit*	8-Dip	3.03	2.30	1.76
LF398H-ND	单片式采样和保持电路*	Monolithic Sample and Hold Circuit*	TO-5	5.88	4.65	3.73
LF398M-ND	单片式采样和保持电路*	Monolithic Sample and Hold Circuit*	14-SOIC	1.80	1.34	.99
LF398N-ND	单片式采样和保持电路*	Monolithic Sample and Hold Circuit*	8-Dip	1.74	1.29	.96
LF411ACH-ND	低偏移低漂移 JFET 输入运算放大器*	Low Offset Low Drift JFET Input Op Amp*	TO-5	8.82	6.98	5.59
LF411ACN-ND	低偏移低漂移 JFET 输入运算放大器*	Low Offset Low Drift JFET Input Op Amp*	8-Dip	6.05	4.60	3.51
LF411CN-ND	低偏移低漂移 JFET 输入运算放大器*	Low Offset Low Drift JFET Input Op Amp*	8-Dip	1.65	1.21	.88
LF412ACN-ND	低偏移低漂移 JFET 双路运算放大器*	Low Offset Low Drift JFET Dual Op Amp*	8-Dip	4.98	3.79	2.89
LF412CN-ND	低偏移低漂移 JFET 双路运算放大器*	Low Offset Low Drift JFET Dual Op Amp*	8-Dip	1.67	1.25	.92
LF412MH-ND	低偏移低漂移 JFET 双路运算放大器*	Low Offset Low Drift JFET Dual Op Amp*	TO-5	9.07	7.18	5.75
LF442ACN-ND	双路低功率 JFET 运算放大器*	Dual Low Power JFET Op Amp*	8-Dip	5.73	4.36	3.33
LF442AMH-ND	双路低功率 JFET 运算放大器*	Dual Low Power JFET Op Amp*	TO-5	17.40	16.24	15.08
LF442CN-ND	双路低功率 JFET 运算放大器*	Dual Low Power JFET Op Amp*	8-Dip	1.55	1.15	.85
LF444ACN-ND	四路低功率 JFET 运算放大器*	Quad Low Power JFET Op Amp*	14-Dip	3.30	2.51	1.92
LF444CN-ND	四路低功率 JFET 运算放大器*	Quad Low Power JFET Op Amp*	14-SOIC	1.98	1.48	1.09
LF444CN-ND	四路低功率 JFET 运算放大器*	Quad Low Power JFET Op Amp*	14-Dip	2.02	1.50	1.11
LM100CH-ND	运算放大器和基准电压*	Op Amp and Voltage Reference*	TO-5	6.72	5.32	4.26
LM100CLN-ND	运算放大器和基准电压*	Op Amp and Voltage Reference*	8-Dip	3.18	2.42	1.85
LM100CN-ND	运算放大器和基准电压*	Op Amp and Voltage Reference*	8-Dip	2.98	2.27	1.73
LM100CWM-ND	运算放大器和基准电压*	Op Amp and Voltage Reference*	14-SOIC	2.80	2.13	1.63
LM120CLN-ND	80W 功率运算放大器 4 个引脚*	80W Power Op Amp 4-Pin*	TO-3	55.20	51.52	47.84
LM12H458CIV-ND	12 位正标志 DAS, 带自校准功能*	12-Bit + Sign DAS with Self-Calibration*	44-PQFP	20.55	19.18	17.81
LM12H458CIVF-ND	12 位正标志 DAS, 带自校准功能*	12-Bit + Sign DAS with Self-Calibration*	44-PQFP	20.55	19.18	17.81
LM12L458CIV-ND	12 位正标志 DAS, 带自校准功能*	12-Bit + Sign DAS with Self-Calibration*	44-PQFP	20.55	19.18	17.81
LM190CZ-ND	2.4V 10µA 温度传感器, -55° 至 130°C*	2.4V, 10µA Temperature Sensor, -55° to 130°C*	TO-92	1.08	.78	.57
LM20BIM7CT-ND	微 SMD 温度传感器, ±2.5°C	Micro SMD Temperature Sensor, ±2.5°C	SC-70-5	1.24	.91	.66
LM20BIM7TR-ND	微 SMD 温度传感器, ±2.5°C	Micro SMD Temperature Sensor, ±2.5°C	SC-70-5	429.00/1,000		
LM20CIM7CT-ND	微 SMD 温度传感器, ±5°C	Micro SMD Temperature Sensor, ±5°C*	SC-70-5	1.05	.77	.56
LM20CIM7TR-ND	微 SMD 温度传感器, ±5°C	Micro SMD Temperature Sensor, ±5°C*	SC-70-5	364.00/1,000		
LM20SIBPCT-ND	微 SMD 温度传感器	Micro SMD Temperature Sensor	4-microSMD	1.05	.77	.56
LM20SIBPTR-ND	微 SMD 温度传感器	Micro SMD Temperature Sensor	4-microSMD	105.00/250		
LM26CIM5-HHDCT-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	1.43	1.05	.76
LM26CIM5-HHDTR-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	494.00/1,000		
LM26CIM5-NPACT-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	1.54	1.13	.82
LM26CIM5-NPATR-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	533.00/1,000		
LM26CIM5-PHACT-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	1.54	1.13	.82
LM26CIM5-PHATR-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	533.00/1,000		
LM26CIM5-RPACT-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	1.43	1.05	.76
LM26CIM5-RPATR-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	533.00/1,000		
LM26CIM5-SHACT-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	1.54	1.13	.82
LM26CIM5-SHATR-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	533.00/1,000		
LM26CIM5-SPACT-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	1.54	1.13	.82
LM26CIM5-SPATR-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	533.00/1,000		
LM26CIM5-TPACT-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	1.54	1.13	.82
LM26CIM5-TPATR-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	533.00/1,000		
LM26CIM5-VHACT-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	1.54	1.13	.82
LM26CIM5-VHATR-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	533.00/1,000		
LM26CIM5-VPACT-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	1.54	1.13	.82
LM26CIM5-VPATR-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	533.00/1,000		
LM26CIM5-XHACT-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	1.54	1.13	.82
LM26CIM5-XHATR-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	533.00/1,000		
LM26CIM5-XPACT-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	1.54	1.13	.82
LM26CIM5-XPATR-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	533.00/1,000		
LM26CIM5-YHACT-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	1.54	1.13	.82
LM26CIM5-YHATR-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	533.00/1,000		
LM26CIM5-YPACT-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	1.43	1.05	.76
LM26CIM5-YPATR-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	494.00/1,000		
LM26CIM5-ZHACT-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	1.54	1.13	.82
LM26CIM5-ZHATR-ND	±3°C 精度工厂预设恒温器*	±3°C Accurate, Factory Preset Thermostat*	SOT-23-5	533.00/1,000		
LM26LVCISDCT-ND	1.6V 预设温度开关和温度传感器*	1.6V Preset Temperature Switch and Temperature Sensor*	6-LLP	1.78	1.31	.95
LM26LVCISDTR-ND	1.6V 预设温度开关和温度传感器*	1.6V Preset Temperature Switch and Temperature Sensor*	6-LLP	617.50/1,000		
LM27CIM5-1HJCT-ND	±3°C 精度 120°C 至 150°C 工厂预设恒温器	±3°C Accurate, 120°C-150°C Factory Preset Thermostat	SOT-23-5	2.33	1.73	1.28
LM27CIM5-1HJTR-ND	±3°C 精度 120°C 至 150°C 工厂预设恒温器	±3°C Accurate, 120°C-150°C Factory Preset Thermostat	SOT-23-5	961.28/1,000		
LM27CIM5-2HJCT-ND	±3°C 精度 120°C 至 150°C 工厂预设恒温器	±3°C Accurate, 120°C-150°C Factory Preset Thermostat	SOT-23-5	2.33	1.73	1.28
LM27CIM5-2HJTR-ND	±3°C 精度 120°C 至 150°C 工厂预设恒温器	±3°C Accurate, 120°C-150°C Factory Preset Thermostat	SOT-23-5	961.28/1,000		
LM27CIM5-3HJCT-ND	±3°C 精度 120°C 至 150°C 工厂预设恒温器*	±3°C Accurate, 120°C-150°C Factory Preset Thermostat*	SOT-23-5	2.33	1.73	1.28
LM27CIM5-3HJTR-ND	±3°C 精度 120°C 至 150°C 工厂预设恒温器*	±3°C Accurate, 120°C-150°C Factory Preset Thermostat*	SOT-23-5	961.28/1,000		
LM32CIMT-ND	双路热敏二极管温度传感器*	Dual Thermal Diode Temperature Sensor*	14-TSSOP	3.10	2.36	1.80
LM34AH-ND	精密型华氏温度传感器, -50°F 至 300°F*	Precision Fahrenheit Temperature Sensor, -50°F to 300°F*	TO-46	13.86	11.88	10.54
LM34CAH-ND	精密型华氏温度传感器, -40°F 至 230°F*	Precision Fahrenheit Temperature Sensor, -40°F to 230°F*	TO-46	11.55	9.90	8.78
LM34CAZ-ND	精密型华氏温度传感器, -40°F 至 230°F*	Precision Fahrenheit Temperature Sensor, -40°F to 230°F*	TO-92	7.14	5.65	4.53
LM34CH-ND	精密型华氏温度传感器, -40°F 至 230°F*	Precision Fahrenheit Temperature Sensor, -40°F to 230°F*	TO-46	9.52	8.16	7.24

* 符合 RoHS 规范要求

(转下页)

★ 欢迎来电查询, 大批量订购, 价格优惠! ★

全部产品均以美元计价。 免费电话: 10800-1527031 (China Telecom - 中国电讯) — 10800-8527031 (CNCG - 中国网通)

digikey.com.cn — 电话: (852) 3104 0500 — 传真: (852) 3104 0686

(CN082-09) 1111

Digi-Key 零件编号	描述	封装	1	25	100	
LM34CZ-ND	精密型华氏温度传感器, -40°F 至 230°F*	Precision Fahrenheit Temperature Sensor, -40°F to 230°F*	T0-92	5.54	4.39	3.52
LM34DM-ND	精密型华氏温度传感器, +32°F 至 212°F*	Precision Fahrenheit Temperature Sensor, +32°F to 212°F*	8-SOIC	2.45	1.82	1.35
LM34DZ-ND	精密型华氏温度传感器, +32°F 至 212°F*	Precision Fahrenheit Temperature Sensor, +32°F to 212°F*	T0-92	2.51	1.87	1.38
LM35AH-ND	精密型摄氏温度传感器, -55°C 至 150°C*	Precision Celsius Temperature Sensor, -55°C to 150°C*	T0-46	16.80	15.68	14.56
LM35CAH-ND	精密型摄氏温度传感器, -40°C 至 110°C*	Precision Celsius Temperature Sensor, -40°C to 110°C*	T0-46	11.55	9.90	8.78
LM35CAZ-ND	精密型摄氏温度传感器, -40°C 至 110°C*	Precision Celsius Temperature Sensor, -40°C to 110°C*	T0-92	5.50	4.35	3.49
LM35CH-ND	精密型摄氏温度传感器, -40°C 至 110°C*	Precision Celsius Temperature Sensor, -40°C to 110°C*	T0-46	9.03	7.74	6.87
LM35CZ-ND	精密型摄氏温度传感器, -40°C 至 110°C*	Precision Celsius Temperature Sensor, -40°C to 110°C*	T0-92	5.58	4.24	3.24
LM35DH-ND	精密型摄氏温度传感器, 0°C 至 100°C*	Precision Celsius Temperature Sensor, 0°C to 100°C*	T0-46	9.01	7.13	5.71
LM35DM-ND	精密型摄氏温度传感器, 0°C 至 100°C*	Precision Celsius Temperature Sensor, 0°C to 100°C*	8-SOIC	1.92	1.43	1.06
LM35DMXCT-ND	精密型摄氏温度传感器, 0°C 至 100°C*	Precision Celsius Temp. Sensor, 0°C to 100°C*	8-SOIC	1.92	1.43	1.06
LM35DMXTR-ND	精密型摄氏温度传感器, 0°C 至 100°C*	Precision Celsius Temp. Sensor, 0°C to 100°C*	8-SOIC	1937.50	2,500	
LM35DT-ND	精密型摄氏温度传感器, 0°C 至 100°C*	Precision Celsius Temperature Sensor*	T0-220	3.04	2.26	1.67
LM35DZ-ND	精密型摄氏温度传感器, 0°C 至 100°C*	Precision Celsius Temperature Sensor, 0°C to 100°C*	T0-92	1.80	1.34	.99
LM40CMT-ND	带有双路热敏二极管和 SensorPath™ 总线的硬件监控器*	Hardware Monitor with Dual Thermal Diodes and SensorPath™ Bus*	14-TSSOP	3.68	2.80	2.14
LM41CMT-ND	带有热敏二极管输入和 SensorPath™ 总线的硬件监控器*	Hardware Monitor with Thermal Diode Inputs and SensorPath™ Bus*	14-TSSOP	3.58	2.72	2.08
LM45BM3CT-ND	精密型摄氏温度传感器*	Precision Celsius Temperature Sensor*	SOT-23	1.71	1.27	.94
LM45BM3TR-ND	精密型摄氏温度传感器*	Precision Celsius Temperature Sensor*	SOT-23	704.00	1,000	
LM45CM3CT-ND	精密型摄氏温度传感器*	Precision Celsius Temperature Sensor*	SOT-23	1.09	.80	.58
LM45CM3TR-ND	精密型摄氏温度传感器*	Precision Celsius Temperature Sensor*	SOT-23	377.00	1,000	
LM50BM3CT-ND	单电源摄氏温度传感器*	Single Supply Centigrade Temperature Sensor*	SOT-23	1.58	1.18	.87
LM50BM3TR-ND	单电源摄氏温度传感器*	Single Supply Centigrade Temperature Sensor*	SOT-23	652.80	1,000	
LM50CM3CT-ND	单电源摄氏温度传感器*	Single Supply Centigrade Temperature Sensor*	SOT-23	1.05	.77	.56
LM50CM3TR-ND	单电源摄氏温度传感器*	Single Supply Centigrade Temperature Sensor*	SOT-23	364.00	1,000	
LM56BM-ND	双路输出低功耗恒温器*	Dual Output Low Power Thermostat*	8-SOIC	2.51	1.87	1.38
LM56BMMCT-ND	双路输出低功耗恒温器*	Dual Output Low Power Thermostat*	8-MSOP	2.95	2.19	1.62
LM56BMMTR-ND	双路输出低功耗恒温器*	Dual Output Low Power Thermostat*	8-MSOP	1216.00	1,000	
LM56CM-ND	双路输出低功耗恒温器*	Dual Output Low Power Thermostat*	8-SOIC	1.89	1.41	1.04
LM56CMMCT-ND	双路输出低功耗恒温器*	Dual Output Low Power Thermostat*	8-MSOP	2.23	1.66	1.23
LM56CMMTR-ND	双路输出低功耗恒温器*	Dual Output Low Power Thermostat*	8-MSOP	921.60	1,000	
LM60BM3CT-ND	2.7V 温度传感器, -40°C 至 125°C*	2.7V, Temperature Sensor, -40°C to 125°C*	SOT-23	1.39	1.02	.74
LM60BM3TR-ND	2.7V 温度传感器, -40°C 至 125°C*	2.7V, Temperature Sensor, -40°C to 125°C*	SOT-23	481.00	1,000	
LM60BIZ-ND	2.7V 温度传感器, -40°C 至 125°C*	2.7V, Temperature Sensor, -40°C to 125°C*	T0-92	1.28	.94	.68
LM60CM3CT-ND	2.7V 温度传感器, -40°C 至 125°C*	2.7V, Temperature Sensor, -40°C to 125°C*	SOT-23	1.01	.75	.54
LM60CM3TR-ND	2.7V 温度传感器, -40°C 至 125°C*	2.7V, Temperature Sensor, -40°C to 125°C*	SOT-23	351.00	1,000	
LM60CIZ-ND	2.7V 温度传感器, -40°C 至 125°C*	2.7V, Temperature Sensor, -40°C to 125°C*	T0-92	1.04	.75	.55
LM61BM3CT-ND	2.7V 温度传感器, -30°C 至 100°C*	2.7V, Temperature Sensor, -30°C to 100°C*	SOT-23	1.39	1.02	.74
LM61BM3TR-ND	2.7V 温度传感器, -30°C 至 100°C*	2.7V, Temperature Sensor, -30°C to 100°C*	SOT-23	481.00	1,000	
LM61CM3CT-ND	2.7V 温度传感器, -30°C 至 100°C*	2.7V, Temperature Sensor, -30°C to 100°C*	SOT-23	.98	.72	.52
LM61CM3TR-ND	2.7V 温度传感器, -30°C 至 100°C*	2.7V, Temperature Sensor, -30°C to 100°C*	SOT-23	338.00	1,000	
LM61CIZ-ND	2.7V 温度传感器, -30°C 至 100°C*	2.7V, Temperature Sensor, -30°C to 100°C*	T0-92	1.04	.75	.55
LM62BM3CT-ND	2.7V 温度传感器, 0°C 至 100°C*	2.7V, Temperature Sensor, 0°C to 100°C*	SOT-23	1.39	1.02	.74
LM62BM3TR-ND	2.7V 温度传感器, 0°C 至 100°C*	2.7V, Temperature Sensor, 0°C to 100°C*	SOT-23	481.00	1,000	
LM62CM3CT-ND	2.7V 温度传感器, 0°C 至 100°C*	2.7V, Temperature Sensor, 0°C to 100°C*	SOT-23	.98	.72	.52
LM62CM3TR-ND	2.7V 温度传感器, 0°C 至 100°C*	2.7V, Temperature Sensor, 0°C to 100°C*	SOT-23	338.00	1,000	
LM63CIMA-ND	带集成风扇控制的数字温度传感器*	Digital Temperature Sensor with Integrated Fan Control*	8-SOIC	3.09	2.30	1.70
LM63DIMA-ND	带集成风扇控制的数字温度传感器*	Digital Temperature Sensor with Integrated Fan Control*	8-SOIC	2.95	2.19	1.62
LM70CILD-3CT-ND	10 位正标志数字温度传感器	10-Bit Plus Sign Digital Temperature Sensor	8-LLP	2.00	1.49	1.10
LM70CILD-3TR-ND	10 位正标志数字温度传感器	10-Bit Plus Sign Digital Temperature Sensor	8-LLP	826.88	1,000	
LM70CILD-5CT-ND	10 位正标志数字温度传感器	10-Bit Plus Sign Digital Temperature Sensor	8-LLP	2.00	1.49	1.10
LM70CILD-5TR-ND	10 位正标志数字温度传感器	10-Bit Plus Sign Digital Temperature Sensor	8-LLP	826.88	1,000	
LM70CIMM-3CT-ND	10 位正标志数字温度传感器*	10-Bit Plus Sign Digital Temperature Sensor*	8-MSOP	1.98	1.48	1.09
LM70CIMM-3TR-ND	10 位正标志数字温度传感器*	10-Bit Plus Sign Digital Temperature Sensor*	8-MSOP	819.20	1,000	
LM70CIMM-5CT-ND	SPI/Microwire™ 10 位正标志数字温度传感器*	SPI/Microwire™ 10-Bit plus Digital Temp. Sensor*	8-MSOP	1.98	1.48	1.09
LM70CIMM-5TR-ND	SPI/Microwire™ 10 位正标志数字温度传感器*	SPI/Microwire™ 10-Bit plus Digital Temp. Sensor*	8-MSOP	819.20	1,000	
LM70CIMMX-3CT-ND	10 位正标志数字温度传感器*	10-Bit Plus Sign Digital Temperature Sensor*	8-MSOP	1.98	1.48	1.09
LM70CIMMX-3TR-ND	10 位正标志数字温度传感器*	10-Bit Plus Sign Digital Temperature Sensor*	8-MSOP	2800.00	3,500	
LM71CIMFCT-ND	SPI/Microwire™ 13 位正标志温度传感器	SPI/Microwire™ 13-Bit plus Sign Temperature Sensor	SOT-23-5	2.20	1.64	1.21
LM71CIMFTR-ND	SPI/Microwire™ 13 位正标志温度传感器	SPI/Microwire™ 13-Bit plus Sign Temperature Sensor	SOT-23-5	908.80	1,000	
LM71CISDCT-ND	SPI/Microwire™ 13 位正标志温度传感器	SPI/Microwire™ 13-Bit plus Sign Temperature Sensor	6-LLP	2.20	1.64	1.21
LM71CISDTR-ND	SPI/Microwire™ 13 位正标志温度传感器	SPI/Microwire™ 13-Bit plus Sign Temperature Sensor	6-LLP	908.80	1,000	
LM73C1MK-OCT-ND	2.7V 11 至 14 位数字温度传感器*	2.7V, 11-to-14 Bit Digital Temperature Sensor*	6-TSOT	1.56	1.16	.86
LM73C1MK-OTR-ND	2.7V 11 至 14 位数字温度传感器*	2.7V, 11-to-14 Bit Digital Temperature Sensor*	6-TSOT	645.12	1,000	
LM73C1MK-1CT-ND	2.7V 11 至 14 位数字温度传感器*	2.7V, 11-to-14 Bit Digital Temp. Sensor*	TSOT-23-6	1.56	1.16	.86
LM73C1MK-1TR-ND	2.7V 11 至 14 位数字温度传感器*	2.7V, 11-to-14 Bit Digital Temp. Sensor*	TSOT-23-6	645.12	1,000	
LM74C1BP-5CT-ND	5V 12 位数字温度传感器	5V, 12-Bit Digital Temperature Sensor	5-microSMD	2.24	1.67	1.23
LM74C1BP-5TR-ND	5V 12 位数字温度传感器	5V, 12-Bit Digital Temperature Sensor	5-microSMD	469.95	500	
LM74CIM-3-ND	3V 12 位数字温度传感器*	3V, 12-Bit Digital Temperature Sensor*	8-SOIC	1.83	1.36	1.01
LM74CIM-5-ND	5V 12 位数字温度传感器*	5V, 12-Bit Digital Temperature Sensor*	8-SOIC	1.83	1.36	1.01
LM75CIM-3-ND	3V 数字温度传感器*	3V, Digital Temperature Sensor*	8-SOIC	2.26	1.68	1.25
LM75CIM-5-ND	5V 数字温度传感器和热监视器, 带双线接口*	5V, Digital Temperature Sensor and Thermal Watchdog with Two-Wire Interface*	8-SOIC	2.26	1.68	1.25
LM75CIMX-5TR-ND	5V 数字温度传感器和热监视器, 带双线接口	5V, Digital Temperature Sensor and Thermal Watchdog with Two-Wire Interface	8-SOIC	2125.00	2,500	
LM75C1MM-3CT-ND	3.3V 数字温度传感器和热监视器, 带双线接口*	3.3V, Digital Temperature Sensor and Thermal Watchdog with Two-Wire Interface*	8-MSOP	2.29	1.71	1.26
LM75C1MM-3TR-ND	3.3V 数字温度传感器和热监视器, 带双线接口*	3.3V, Digital Temperature Sensor and Thermal Watchdog with Two-Wire Interface*	8-MSOP	947.20	1,000	
LM75C1MM-5CT-ND	5V 数字温度传感器和热监视器, 带双线接口*	5V, Digital Temperature Sensor and Thermal Watchdog with Two-Wire Interface*	8-MSOP	2.17	1.61	1.19
LM75C1MM-5TR-ND	5V 数字温度传感器和热监视器, 带双线接口*	5V, Digital Temperature Sensor and Thermal Watchdog with Two-Wire Interface*	8-MSOP	947.20	1,000	
LM76CHM-5-ND	5V 数字温度传感器和热窗口比较器, 带双线接口*	5V, Digital Temperature Sensor and Thermal Window Comparator with Two-Wire Interface*	8-SOIC	2.50	1.90	1.45
LM77CIM-3-ND	3V 数字温度传感器和热窗口比较器, 带双线接口*	3V, Digital Temperature Sensor and Thermal Window Comparator with Two-Wire Interface*	8-SOIC	2.26	1.68	1.25
LM77CIM-5-ND	5V 数字温度传感器和热窗口比较器, 带双线接口*	5V, Digital Temperature Sensor and Thermal Window Comparator with Two-Wire Interface*	8-SOIC	2.26	1.68	1.25
LM77C1MM-3CT-ND	3V 数字温度传感器和热窗口比较器, 带双线接口	3V, Digital Temperature Sensor and Thermal Window Comparator with Two-Wire Interface	8-MSOP	2.26	1.68	1.25
LM77C1MM-3TR-ND	3V 数字温度传感器和热窗口比较器, 带双线接口	3V, Digital Temperature Sensor and Thermal Window Comparator with Two-Wire Interface	8-MSOP	934.40	1,000	
LM77C1MM-5CT-ND	5V 数字温度传感器和热窗口比较器, 带双线接口	5V, Digital Temperature Sensor and Thermal Window Comparator with Two-Wire Interface	8-MSOP	2.26	1.68	1.25
LM77C1MM-5TR-ND	5V 数字温度传感器和热窗口比较器, 带双线接口	5V, Digital Temperature Sensor and Thermal Window Comparator with Two-Wire Interface	8-MSOP	934.40	1,000	
LM78L05ACM-ND	5V 100mA 正稳压器*	5V, 100mA Positive Regulator*	8-SOIC	.90	.65	.47
LM78L05ACMXCT-ND	5V 100mA 正稳压器*	5V, 100mA Positive Regulator*	8-SOIC	.90	.65	.47
LM78L05ACMXTR-ND	5V 100mA 正稳压器*	5V, 100mA Positive Regulator*	8-SOIC	665.00	2,500	

* 符合 RoHS 规范要求

(续下页)

★ 欢迎来电查询, 大批量订购, 价格优惠! ★

Digi-Key 零件编号	描述	封装	1	25	100	
LM78L05ACZNS-ND	5V 100mA 正稳压器*	5V, 100mA Positive Regulator*	TO-92	.90	.65	.47
LM78L05IBPCT-ND	3 端子正稳压器	3-Terminal Positive Regulator	8-microSMD	1.10	.81	.59
LM78L05IBPTR-ND	3 端子正稳压器	3-Terminal Positive Regulator	8-microSMD	1.20	.88	.64
LM78L05ITPCT-ND	3 端子正稳压器*	3-Terminal Positive Regulator*	8-microSMD	1.20	.88	.64
LM78L05ITPTR-ND	3 端子正稳压器*	3-Terminal Positive Regulator*	8-microSMD	1.20	.88	.64
LM78L12ACM-ND	12V 100mA 正稳压器*	12V, 100mA Positive Regulator*	8-SOIC	.90	.65	.47
LM78L12ACMXTR-ND	12V 100mA 正稳压器*	12V, 100mA Positive Regulator*	8-SOIC	.90	.65	.47
LM78L12ACZ-ND	12V 100mA 稳压器*	12V, 100mA Voltage Regulator*	TO-92	.90	.65	.47
LM78L15ACM-ND	15V 100mA 正稳压器*	15V, 100mA Positive Regulator*	8-SOIC	.90	.65	.47
LM78L15ACMXCT-ND	15V 100mA 正稳压器*	15V, 100mA Positive Regulator*	8-SOIC	.90	.65	.47
LM78L15ACMXTR-ND	15V 100mA 正稳压器*	15V, 100mA Positive Regulator*	8-SOIC	.90	.65	.47
LM78L15ACZ-ND	15V 100mA 正稳压器*	15V, 100mA Positive Regulator*	TO-92	.90	.65	.47
LM78L62ACZ-ND	6.2V 100mA 正稳压器*	6.2V, 100mA Positive Regulator*	TO-92	1.28	.94	.68
LM78M05CDT-ND	3 端子正稳压器*	3-Terminal Positive Regulator*	TO-252	1.65	1.21	.88
LM78M12CH-ND	12V 500mA 正稳压器*	12V, 500mA Positive Regulator*	TO-39	6.30	4.98	3.99
LM78M12CT-ND	12V 500mA 正稳压器*	12V, 500mA Positive Regulator*	TO-220	1.84	1.35	.98
LM78M15CH-ND	15V 500mA 正稳压器*	15V, 500mA Positive Regulator*	TO-39	6.30	4.98	3.99
LM78S40CN-ND	通用开关稳压器子系统*	Universal Switching Regulator Subsystem*	16-Dip	1.83	1.36	1.01
LM78S40N-ND	通用开关稳压器子系统, 工业级温度*	Universal Switching Regulator Subsystem, Ind. Temp.*	16-Dip	2.67	1.98	1.47
LM79L05ACM-ND	5V 100mA 负稳压器*	5V, 100mA Negative Regulator*	8-SOIC	1.04	.75	.55
LM79L05ACMXTR-ND	5V 100mA 负稳压器*	5V, 100mA Negative Regulator*	8-SOIC	1.04	.75	.55
LM79L12ACM-ND	12V 100mA 负稳压器*	12V, 100mA Negative Regulator*	8-SOIC	1.04	.75	.55
LM79L12ACMXTR-ND	12V 100mA 负稳压器*	12V, 100mA Negative Regulator*	8-SOIC	1.04	.75	.55
LM79M05CT-ND	5V 500mA 负稳压器*	5V, 500mA Negative Voltage Regulator*	TO-220	1.84	1.35	.98
LM79M12CT-ND	12V 500mA 负稳压器*	12V, 500mA Negative Voltage Regulator*	TO-220	1.84	1.35	.98
LM79M15CT-ND	15V 500mA 负稳压器*	15V, 500mA Negative Voltage Regulator*	TO-220	1.84	1.35	.98
LM80C1MT-3-ND	兼容 ACPI 串行接口的微处理器系统硬件监控器, 2.8V-5.75V*	Serial Interface ACPI-Compatible Microprocessor System Hardware Monitor, 2.8V-5.75V*	24-TSSOP	5.80	4.59	3.68
LM80C1MT-5-ND	兼容 ACPI 串行接口的微处理器系统硬件监控器, 2.8V-5.75V*	Serial Interface ACPI-Compatible Microprocessor System Hardware Monitor, 2.8V-5.75V*	24-TSSOP	5.80	4.59	3.68
LM81B1MT-3-ND	兼容 ACPI 串行接口的微处理器系统硬件监控器, 2.8V-3.8V*	Serial Interface ACPI-Compatible Microprocessor System Hardware Monitor, 2.8V-3.8V*	24-TSSOP	3.93	2.99	2.28
LM81C1MT-3-ND	兼容 ACPI 串行接口的微处理器系统硬件监控器, 2.8V-3.8V*	Serial Interface ACPI-Compatible Microprocessor System Hardware Monitor, 2.8V-3.8V*	24-TSSOP	3.93	2.99	2.28
LM82CIMQA-ND	三路二极管输入和局部数字温度传感器, 带双线接口*	Triple-Diode Input and Local Digital Temperature Sensor with Two-Wire Interface*	16-SSOP	4.13	3.14	2.40
LM83CIMQA-ND	三路二极管输入和局部数字温度传感器, 带双线接口*	Triple-Diode Input and Local Digital Temperature Sensor with Two-Wire Interface*	16-SSOP	5.95	4.53	3.46
LM84B1MQA-ND	二极管输入温度传感器, 带双线接口*	Diode Input Temp. Sensor with Two-Wire Interface*	16-SSOP	3.43	2.61	1.99
LM86CIMMCT-ND	远程二极管和数字温度传感器, 带双线接口*	Remote Diode and Digital Temperature Sensor with Two-Wire Interface*	8-MSOP	1.89	1.41	1.04
LM86CIMMTR-ND	远程二极管和数字温度传感器, 带双线接口*	Remote Diode and Digital Temperature Sensor with Two-Wire Interface*	8-MSOP	1.89	1.41	1.04
LM87C1MT-ND	串行接口系统硬件监控器, 带远程二极管温度检测*	Serial Interface System Hardware Monitor with Remote Diode Temperature Sensing*	24-TSSOP	5.93	4.51	3.44
LM90CIMMCT-ND	远程二极管数字温度传感器, 带双线接口	Remote Diode and Digital Temperature Sensor with Two-Wire Interface	8-MSOP	2.11	1.57	1.16
LM90CIMMTR-ND	远程二极管数字温度传感器, 带双线接口	Remote Diode and Digital Temperature Sensor with Two-Wire Interface	8-MSOP	2.11	1.57	1.16
LM92CIM-ND	温度传感器和热窗口比较器, 带双线接口*	Temperature Sensor and Thermal Window Comparator with Two-Wire Interface*	8-SOIC	4.05	3.08	2.35
LM93C1MT-ND	硬件监控器, 带用于服务器管理的集成风扇控制*	Hardware Monitor with Integrated Fan Control for Server Management*	56-TSSOP	9.98	7.89	6.32
LM94C1MT-ND	带有 PI 回路风扇控制的硬件监控器*	Hardware Monitor with PI Loop Fan Control*	56-TSSOP	10.31	8.84	7.84
LM99-1CIMMCT-ND	精确型高温远程二极管温度传感器, 带双线接口	Accurate, High Temperature, Remote Diode Temperature Sensor with Two-Wire Interface	8-MSOP	2.63	2.00	1.53
LM99-1CIMMTR-ND	精确型高温远程二极管温度传感器, 带双线接口	Accurate, High Temperature, Remote Diode Temperature Sensor with Two-Wire Interface	8-MSOP	2.63	2.00	1.53
LM99CIMMCT-ND	精确型高温远程二极管温度传感器, 带双线接口	Accurate, High Temperature, Remote Diode Temperature Sensor with Two-Wire Interface	8-MSOP	2.63	2.00	1.53
LM99CIMMTR-ND	精确型高温远程二极管温度传感器, 带双线接口	Accurate, High Temperature, Remote Diode Temperature Sensor with Two-Wire Interface	8-MSOP	2.63	2.00	1.53
LM108AH-ND	精密型运算放大器*	Precision Op Amp*	TO-5	6.72	5.32	4.26
LM111H-ND	电压比较器*	Voltage Comparator*	TO-5	5.67	4.49	3.60
LM111J-8-ND	电压比较器	Voltage Comparator	8-CDIP	10.15	8.70	7.72
LM113H-ND	基准二极管*	Reference Diode*	TO-46	9.45	8.10	7.19
LM117H-ND	500mA 可调式正稳压器*	500mA Positive Adjustable Voltage Regulator*	TO-39	8.06	6.38	5.11
LM117K STEEL-ND	可调式正稳压器*	Positive Adjustable Voltage Regulator*	TO-3	19.50	18.20	16.90
LM120H-5.0-ND	1.5A 3 端子负稳压器*	1.5A, 3-Terminal Negative Voltage Regulator*	TO-39	9.98	8.55	7.59
LM124AJ-ND	低功率四路运算放大器	Low Power Quad Op Amp	14-CDIP	6.93	5.48	4.39
LM124J-ND	低功率四路运算放大器	Low Power Quad Op Amp	14-CDIP	6.93	5.48	4.39
LM135AH-ND	精密型温度传感器	Precision Temperature Sensor	TO-46	16.59	14.22	12.61
LM135H-ND	精密型测试传感器*	Precision Temperature Sensor*	TO-46	10.08	7.97	6.39
LM136AH-2.5-ND	2.5V 基准二极管*	2.5V, Reference Diode*	TO-46	10.12	8.67	7.69
LM136H-2.5-ND	2.5V 基准二极管*	2.5V, Reference Diode*	TO-46	9.87	7.81	6.26
LM136H-5.0-ND	5V 基准二极管*	5V, Reference Diode*	TO-46	9.87	7.81	6.26
LM137H-ND	0.5A 3 端子负稳压器*	.5A, 3-Terminal Negative Voltage Regulator*	TO-39	9.45	8.10	7.19
LM139J-ND	低功率低偏移四路比较器	Low Power Low Offset Quad Comp	14-CDIP	8.40	6.64	5.32
LM140K-5.0-ND	5V 系列 3 端子正稳压器*	5V, Series 3-Terminal Positive Regulator*	TO-3	21.45	20.02	18.59
LM140K-12-ND	12V 1.5A 正稳压器*	12V, 1.5A Positive Voltage Regulator*	TO-3	21.45	20.02	18.59
LM140LAH-5.0-ND	5V 系列 3 端子正稳压器*	5V, Series 3-Terminal Positive Regulator*	TO-39	8.06	6.38	5.11
LM140LAH-12-ND	12V 100mA 正稳压器*	12V, 100mA Positive Voltage Regulator*	TO-39	7.39	5.85	4.69
LM148J-ND	四路 741 运算放大器	Quad 741 Op Amp	14-CDIP	7.98	6.31	5.06
LM150K STEEL-ND	可调式 3A 正稳压器*	3A, Positive Adjustable Voltage Regulator*	TO-3	21.60	20.16	18.72
LM158AH-ND	低功率双路运算放大器*	Low Power Dual Op Amp*	TO-5	7.98	6.31	5.06
LM158H-ND	低功率双路运算放大器*	Low Power Dual Op Amp*	TO-5	5.25	4.15	3.33
LM185BH-ND	可调式微功率电压基准*	Adjustable Micropower Voltage Reference*	TO-46	12.08	10.35	9.18
LM185H-2.5-ND	微功率基准电压二极管	Micropower Voltage Reference Diode	TO-46	9.66	7.64	6.12
LM193H-ND	低功率偏移电压双路比较器*	Low Power Offset Voltage Dual Comparator*	TO-5	5.25	4.15	3.33
LM219J-ND	高速双路比较器	High Speed Dual Comparator	14-CDIP	17.33	14.85	13.17
LM224J-ND	低功率四路运算放大器	Low Power Quad Op Amp	14-CDIP	6.93	5.48	4.39
LM231AN-ND	精密型电压至频率转换器*	Precision Voltage-to-Frequency Converter*	8-Dip	8.04	6.36	5.10
LM231N-ND	精密型电压至频率转换器*	Precision Voltage-to-Frequency Converter*	8-Dip	5.50	4.35	3.49
LM234Z-3-ND	可调式电流源/温度传感器*	Adjustable Current Source/Temperature Sensor*	TO-92	2.73	2.08	1.59
LM234Z-6-ND	可调式电流源/温度传感器*	Adjustable Current Source/Temperature Sensor*	TO-92	1.73	1.27	.92
LM235AH-ND	精密型温度传感器*	Precision Temperature Sensor*	TO-46	10.50	9.00	7.98
LM235H-ND	精密型温度传感器*	Precision Temperature Sensor*	TO-46	8.19	6.48	5.19
LM236AH-2.5-ND	2.5V (1%) 电压基准*	2.5V, (1%) Voltage Reference*	TO-46	7.35	5.81	4.66
LM236AH-5.0-ND	5V 基准二极管*	5V, Reference Diode*	TO-46	7.35	5.81	4.66
LM236H-2.5-ND	2.5V 基准二极管*	2.5V, Reference Diode*	TO-46	6.30	4.98	3.99
LM239J-ND	高性能四路比较器	High Performance Quad Comparator	14-CDIP	8.40	6.64	5.32
LM285BXZ-ND	可调式微功率基准电压	Adjustable Micropower Voltage Reference	TO-92	2.65	2.02	1.54
LM285BYM-ND	可调式微功率基准电压	Adjustable Micropower Voltage Reference	8-SOIC	2.79	2.08	1.54
LM285BYZ-ND	微功率可调式电压基准*	Micropower Adjustable Voltage Reference*	TO-92	2.64	1.96	1.45
LM285BYZ-1.2-ND	1.2V 微功率电压基准*	1.2V, Micropower Voltage Reference*	TO-92	2.64	1.96	1.45
LM285BYZ-2.5-ND	2.5V 基准二极管	2.5V, Reference Diode	TO-92	2.64	1.96	1.45
LM285M-ND	微功率可调式电压基准*	Micropower Adjustable Voltage Reference*	8-SOIC	1.28	.94	.68
LM285MXTR-ND	微功率可调式电压基准*	Micropower Adjustable Voltage Reference*	8-SOIC	1.28	.94	.68

* 符合 RoHS 规范要求

(续下页)

★ 欢迎来电查询, 大批量订购, 价格优惠! ★

全部产品均以美元计价。 免费电话: 10800-1527031 (China Telecom - 中国电讯) — 10800-8527031 (CNCG - 中国网通)

digikey.com.cn — 电话: (852) 3104 0500 — 传真: (852) 3104 0686

(CN082-09) 1113

Digi-Key 零件编号	描述	封装	1	25	100	
LM285M-1.2-ND	1.2V 基准二极管*	1.2V, Reference Diode*	8-SOIC	1.09	.80	.58
LM285M-2.5-ND	微功率电压基准二极管*	Micropower Voltage Reference Diode*	8-SOIC	1.09	.80	.58
LM285MX-2.5CT-ND	微功率电压基准二极管*	Micropower Voltage Reference Diode*	8-SOIC	1.09	.80	.58
LM285MX-2.5TR-ND	微功率电压基准二极管*	Micropower Voltage Reference Diode*	8-SOIC		924.38/2,500	
LM285Z-ND	可调式微功率电压基准*	Adjustable Micropower Voltage Reference*	TO-92	1.24	.91	.66
LM285Z-1.2NS-ND	微功率电压基准二极管*	Micropower Voltage Reference Diode*	TO-92	1.09	.80	.58
LM285Z-2.5-ND	2.5V 基准二极管*	2.5V, Reference Diode*	TO-92	1.09	.80	.58
LM301AH-ND	通用型运算放大器*	General Purpose Op Amp*	TO-5	5.67	4.49	3.60
LM301ANNS-ND	通用型运算放大器*	General Purpose Op Amp*	8-Dip	1.13	.83	.60
LM308AH-ND	通用型运算放大器*	General Purpose Op Amp*	TO-5	6.30	4.98	3.99
LM308H-ND	超增益运算放大器*	Super Gain Op Amp*	TO-5	6.30	4.98	3.99
LM309H-ND	5V 稳压器*	5V Voltage Regulator*	TO-39	7.14	5.65	4.53
LM309K STEEL-ND	+5V 1.5A 稳压器*	+5V, 1.5A Voltage Regulator*	TO-3	21.38	19.95	18.53
LM311H-ND	电压比较器*	Voltage Comparator*	TO-99	5.67	4.49	3.60
LM311MNS-ND	电压比较器*	Voltage Comparator*	8-SOIC	1.08	.78	.57
LM311MXCT-ND	电压比较器*	Voltage Comparator*	8-SOIC	1.08	.78	.57
LM311MXT-ND	电压比较器*	Voltage Comparator*	8-SOIC		798.00/2,500	
LM311NNS-ND	高性能电压比较器*	High Performance Voltage Comparator*	8-Dip	1.05	.77	.56
LM317AEMPCT-ND	3 端子可调式稳压器*	3-Terminal Adjustable Regulator*	SOT-223	1.89	1.41	1.04
LM317AEMPTR-ND	3 端子可调式稳压器*	3-Terminal Adjustable Regulator*	SOT-223		779.52/1,000	
LM317AEMPXCT-ND	3 端子可调式稳压器*	3-Terminal Adjustable Regulator*	SOT-223	1.89	1.41	1.04
LM317AEMPXTR-ND	3 端子可调式稳压器*	3-Terminal Adjustable Regulator*	SOT-223		1559.04/2,000	
LM317AH-ND	500mA 可调式正稳压器	500mA Positive Adjustable Voltage Regulator	TO-39	7.56	5.98	4.79
LM317AMD-ND	500mA 可调式正稳压器*	500mA Positive Adjustable Voltage Regulator*	TO-262	1.71	1.27	.94
LM317AT-ND	1.5A 可调式正稳压器*	1.5A Positive Adjustable Voltage Regulator*	TO-220	1.86	1.38	1.02
LM317EMPCT-ND	1A 可调式正稳压器*	1A Positive Adjustable Voltage Regulator*	SOT-223	1.58	1.16	.84
LM317EMPTR-ND	1A 可调式正稳压器*	1A Positive Adjustable Voltage Regulator*	SOT-223		546.00/1,000	
LM317H-ND	500mA 可调式正稳压器	500mA Positive Adjustable Voltage Regulator	TO-39	7.56	5.98	4.79
LM317HVH-ND	高压 500mA 可调式正稳压器	High Voltage 500mA Adjustable Voltage Regulator	TO-39	8.40	6.64	5.32
LM317HVK STEEL-ND	高压 1.5A 可调式正稳压器*	High Voltage 1.5A Adjustable Voltage Regulator*	TO-3	21.45	20.02	18.59
LM317HVT-ND	高压 1.5A 可调式正稳压器*	High Voltage 1.5A Adjustable Voltage Regulator*	TO-220	3.04	2.26	1.67
LM317K STEEL-ND	1.5A 可调式正稳压器*	1.5A Positive Adjustable Voltage Regulator*	TO-3	19.50	18.20	16.90
LM317LBPCT-ND	3 端子可调式稳压器*	3-Terminal Adjustable Regulator*	8-microSMD	1.09	.80	.58
LM317LBPTR-ND	3 端子可调式稳压器*	3-Terminal Adjustable Regulator*	8-microSMD		108.75/250	
LM317LIC-ND	3 端子可调式稳压器	3-Terminal Adjustable Regulator	6-microSMD	1.09	.80	.58
LM317LITR-ND	3 端子可调式稳压器	3-Terminal Adjustable Regulator	6-microSMD		108.75/250	
LM317LM-ND	100mA 可调式正稳压器*	100mA Positive Adjustable Voltage Regulator*	8-SOIC	1.04	.75	.55
LM317LMXCT-ND	100mA 可调式正稳压器*	100mA Positive Adjustable Voltage Regulator*	8-SOIC	1.04	.75	.55
LM317LMXTR-ND	100mA 可调式正稳压器*	100mA Positive Adjustable Voltage Regulator*	8-SOIC		764.75/2,500	
LM317LZNS-ND	100mA 可调式正稳压器*	100mA Positive Adjustable Voltage Regulator*	TO-92	.90	.65	.47
LM317MDTNS-ND	3 端子可调式稳压器*	3-Terminal Adjustable Regulator*	TO-262	1.73	1.27	.92
LM317S-ND	3 端子可调式稳压器*	3-Terminal Adjustable Regulator*	TO-263	2.08	1.55	1.14
LM317SXCT-ND	3 端子可调式稳压器*	3-Terminal Adjustable Regulator*	TO-263	2.08	1.55	1.14
LM317SXT-ND	3 端子可调式稳压器*	3-Terminal Adjustable Regulator*	TO-263		435.50/500	
LM317TNS-ND	1.5A 可调式正稳压器*	1.5A Positive Adjustable Voltage Regulator*	TO-220	1.86	1.38	1.02
LM318H-ND	高转换率运算放大器*	High Slew Rate Op Amp*	TO-5	6.76	5.35	4.29
LM318M-ND	高转换率运算放大器*	High Slew Rate Op Amp*	8-SOIC	1.35	.99	.72
LM318N-ND	高转换率运算放大器*	High Slew Rate Op Amp*	8-Dip	1.39	1.02	.74
LM319AM-ND	高速双路比较器*	High Speed Dual Comparator*	14-SOIC	1.84	1.35	.98
LM319H-ND	高速双路比较器*	High Speed Dual Comparator*	TO-5	5.88	4.65	3.73
LM319M-ND	高速双路比较器*	High Speed Dual Comparator*	14-SOIC	1.35	.99	.72
LM319MXTR-ND	高速双路比较器*	High Speed Dual Comparator*	14-SOIC		1147.50/2,500	
LM319NS-ND	高速双路比较器*	High Speed Dual Comparator*	14-Dip	2.36	1.75	1.30
LM320H-5.0-ND	0.5A 3 端子负稳压器*	.5A, 3-Terminal Negative Voltage Regulator*	TO-39	9.01	7.13	5.71
LM320LZ-5.0-ND	5V 0.1A 负稳压器*	5V, 0.1A Negative Voltage Regulator*	TO-92	1.04	.75	.55
LM320LZ-12-ND	12V 0.1A 负稳压器*	12V, 0.1A Negative Voltage Regulator*	TO-92	1.04	.75	.55
LM320LZ-15-ND	15V 0.1A 负稳压器*	15V, 0.1A Negative Voltage Regulator*	TO-92	1.04	.75	.55
LM320T-12-ND	12V 1.5A 3 端子负稳压器*	12V, 1.5A 3-Terminal Negative Voltage Regulator*	TO-220	1.77	1.32	.97
LM320T-15-ND	15V 1.5A 3 端子负稳压器*	15V, 1.5A 3-Terminal Negative Voltage Regulator*	TO-220	1.77	1.32	.97
LM321MFCT-ND	低功率单路运算放大器*	Low Power Single Op Amp*	SOT-23-5	.86	.62	.45
LM321MFTR-ND	低功率单路运算放大器*	Low Power Single Op Amp*	SOT-23-5		266.00/1,000	
LM323AK STEEL-ND	5V 3A 正稳压器*	5V, 3A Positive Voltage Regulator*	TO-3	21.45	20.02	18.59
LM323K STEELNS-ND	5V 3A 正稳压器*	5V, 3A Positive Voltage Regulator*	TO-3	21.45	20.02	18.59
LM324AMNS-ND	低功率四路运算放大器*	Low Power Quad Op Amp*	14-SOIC	1.24	.91	.66
LM324AMXCT-ND	低功率四路运算放大器*	Low Power Quad Op Amp*	14-SOIC	1.24	.91	.66
LM324AMXTR-ND	低功率四路运算放大器*	Low Power Quad Op Amp*	14-SOIC		1051.88/2,500	
LM324ANNS-ND	低功率四路运算放大器*	Low Power Quad Op Amp*	14-Dip	1.43	1.05	.76
LM324MNS-ND	低功率四路运算放大器*	Low Power Quad Op Amp*	14-SOIC	1.20	.88	.64
LM324MT-ND	低功率四路运算放大器*	Low Power Quad Op Amp*	14-TSSOP	1.84	1.35	.98
LM324MXCT-ND	低功率四路运算放大器*	Low Power Quad Op Amp*	14-SOIC	1.20	.88	.64
LM324MXTR-ND	低功率四路运算放大器*	Low Power Quad Op Amp*	14-SOIC		1020.00/2,500	
LM324ZNS-ND	低功率四路运算放大器*	Low Power Quad Op Amp*	14-Dip	1.35	.99	.72
LM329DZ-ND	6.9V 精密型齐纳 100ppm/C*	6.9V Precision Zener 100ppm/C*	TO-92	1.39	1.02	.74
LM330T-5.0-ND	3 端子正稳压器*	3-Terminal Positive Regulator*	TO-220	1.73	1.27	.92
LM331AN-ND	精密型电压至频率转换器*	Precision Voltage-to-Frequency Converter*	8-Dip	7.20	5.70	4.57
LM331N-ND	精密型电压至频率转换器*	Precision Voltage-to-Frequency Converter*	8-Dip	2.63	2.00	1.53
LM333K STEEL-ND	3A 可调式负稳压器*	3A Negative Adjustable Voltage Regulator*	TO-3	37.05	34.58	32.11
LM334H-ND	3 端子可调式电流源*	3-Terminal Adjustable Current Source*	TO-46	6.00	4.56	3.48
LM334M-ND	3 端子可调式电流源*	3-Terminal Adjustable Current Source*	8-SOIC	1.20	.88	.64
LM334MXTR-ND	3 端子可调式电流源*	3-Terminal Adjustable Current Source*	8-SOIC		1020.00/2,500	
LM334SM-ND	3 端子可调式电流源*	3-Terminal Adjustable Current Source*	8-SOIC	2.58	1.96	1.50
LM334ZNS-ND	3 端子可调式电流源*	3-Terminal Adjustable Current Source*	TO-92	1.20	.88	.64
LM335AH-ND	精密型温度传感器*	Precision Temperature Sensor*	TO-46	7.35	5.81	4.66
LM335AM-ND	精密型温度传感器*	Precision Temperature Sensor*	8-SOIC	1.55	1.15	.85
LM335AZNS-ND	精密型温度传感器*	Precision Temperature Sensor*	TO-92	1.71	1.27	.94
LM335H-ND	精密型温度传感器*	Precision Temperature Sensor*	TO-46	7.14	5.65	4.53
LM335M-ND	精密型温度传感器*	Precision Temperature Sensor*	8-SOIC	1.28	.94	.68
LM335ZNS-ND	电压模式温度传感器*	Voltage Mode Temperature Sensor*	TO-92	1.35	.99	.72
LM336BM-2.5-ND	2.5V 基准二极管*	2.5V Reference Diode*	8-SOIC	1.61	1.19	.86
LM336BM-5.0-ND	5V 基准二极管*	5V Reference Diode*	8-SOIC	1.61	1.19	.86
LM336BZ-2.5-ND	2.5V 基准二极管*	2.5V Reference Diode*	TO-92	1.61	1.19	.86
LM336BZ-5.0-ND	5V 基准二极管*	5V Reference Diode*	TO-92	1.61	1.19	.86
LM336M-2.5-ND	2.5V 基准二极管*	2.5V Reference Diode*	8-SOIC	.98	.72	.52
LM336MX-2.5TR-ND	2.5V 基准二极管*	2.5V Reference Diode*	8-SOIC		828.75/2,500	
LM336M-5.0-ND	5.0V 基准二极管*	5.0V Reference Diode*	8-SOIC	.98	.72	.52
LM336Z-2.5NS-ND	2.5V 基准二极管*	2.5V Reference Diode*	TO-92	.98	.72	.52
LM336Z-5.0-ND	5.0V 基准二极管*	5.0V Reference Diode*	TO-92	.98	.72	.52
LM337HVH-ND	500mA 可调式高压负稳压器*	500mA Negative Adjustable Regulator High Voltage*	TO-39	9.63	8.25	7.32
LM337HVK STEEL-ND	1.5A 可调式高压负稳压器*	1.5A Negative Adjustable Regulator High Voltage*	TO-3	21.75	20.30	18.85
LM337IMPCT-ND	1A 可调式负稳压器*	1A Negative Adjustable Voltage Regulator*	SOT-223	1.86	1.38	1.02

* 符合 RoHS 规范要求

(转下页)

★ 欢迎来电查询, 大批量订购, 价格优惠! ★