




多层陶瓷片状电容器



KEMET 多层陶瓷片状电容器是由专门生产贴片电容器的工厂制造。其生产过程具有高度机械化，对原材料及处理条件进行精确控制。生产中使用大量的技术和工程及质量保证。标准端头使用镍阻焊层和锡过渡层，可焊接性能优良。250VDC 或 Tip 和 Ring MLCC 电容器设计用于电信振铃电路，其中的电容用于阻止 -48 至 -52VDC 的线路电压及通过 70 - 90Vrms 的 16 - 25Hz AC 信号脉冲。

KEMET 的开放模式陶瓷表面贴装电容器设计最大限度减少在电路板受弯曲时低 IR 或短路发生的几率。这可以减少突然故障的可能性。



尺寸代码 (EIA)	尺寸 (mm)		
	L	W	B
0402	1.0±0.05	0.5±0.05	0.20-0.40
0603	1.6±0.15	0.8±0.15	0.35±0.15
0805	2.0±0.2	1.25 (≥250V: 1.2) ±0.2	0.5±0.25
1206	3.2±0.2	1.6±0.2	0.5±0.25
1210	3.2±0.2	2.5±0.2	0.5±0.25
1808	4.5±0.3	2.0±0.2	0.6±0.35
1812	4.5±0.3	3.2±0.3	0.6±0.35
1825	4.5±0.3	6.4±0.4	0.6±0.35
2220	5.6±0.4	5.0±0.4	0.6±0.35
2225	5.6±0.4	6.3 (≥250V: 6.4) ±0.4	0.6±0.35

外壳尺寸	类型	WV DC	电容	容差	尺寸 T (mm)	Digi-Key 零件编号	剪切带价格			Digi-Key 零件编号	带卷		Kemet 零件编号
							10	100	500		数量	价格	
0402	COG (NPO)	50	.5pF	±0.25pF	0.5	399-1000-1-ND	3.88	22.95	66.19	399-1000-2-ND	10,000	64.00/M	C0402C508C5GACTU
		50	1.2pF	±0.25pF	0.5	399-1001-1-ND	.61	3.58	10.31	399-1001-2-ND	10,000	14.00/M	C0402C129C5GACTU
		50	1.5pF	±0.25pF	0.5	399-1002-1-ND	.61	3.58	10.31	399-1002-2-ND	10,000	14.00/M	C0402C159C5GACTU
		50	1.8pF	±0.25pF	0.5	399-1003-1-ND	.61	3.58	10.31	399-1003-2-ND	10,000	14.00/M	C0402C189C5GACTU
		50	2pF	±0.25pF	0.5	399-1004-1-ND	4.09	24.18	69.75	399-1004-2-ND	10,000	67.00/M	C0402C209C5GACTU
		50	2.7pF	±0.25pF	0.5	399-1005-1-ND	.61	3.58	10.31	399-1005-2-ND	10,000	14.00/M	C0402C279C5GACTU
		50	3pF	±0.25pF	0.5	399-1006-1-ND	4.09	24.18	69.75	399-1006-2-ND	10,000	67.00/M	C0402C309C5GACTU
		50	3.3pF	±0.25pF	0.5	399-1007-1-ND	.61	3.58	10.31	399-1007-2-ND	10,000	14.00/M	C0402C339C5GACTU
		50	5.6pF	±0.5pF	0.5	399-1008-1-ND	3.41	20.15	58.13	399-1008-2-ND	10,000	56.00/M	C0402C569D5GACTU
		50	8.2pF	±0.5pF	0.5	399-1009-1-ND	3.41	20.15	58.13	399-1009-2-ND	10,000	56.00/M	C0402C829D5GACTU
		50	9.1pF	±0.5pF	0.5	399-1010-1-ND	4.09	24.18	69.75	399-1010-2-ND	10,000	67.00/M	C0402C919D5GACTU
		50	10pF	±5%	0.5	399-1011-1-ND	.24	1.43	4.13	399-1011-2-ND	10,000	6.00/M	C0402C100J5GACTU
		50	11pF	±5%	0.5	399-1012-1-ND	4.62	27.30	78.75	399-1012-2-ND	10,000	76.00/M	C0402C110J5GACTU
		50	12pF	±5%	0.5	399-1013-1-ND	.53	3.12	9.00	399-1013-2-ND	10,000	12.00/M	C0402C120J5GACTU
		50	15pF	±5%	0.5	399-1014-1-ND	.24	1.43	4.13	399-1014-2-ND	10,000	6.00/M	C0402C150J5GACTU
		50	22pF	±5%	0.5	399-1015-1-ND	.24	1.43	4.13	399-1015-2-ND	10,000	6.00/M	C0402C220J5GACTU
		50	27pF	±5%	0.5	399-1016-1-ND	.24	1.43	4.13	399-1016-2-ND	10,000	6.00/M	C0402C270J5GACTU
		50	33pF	±5%	0.5	399-1017-1-ND	.24	1.43	4.13	399-1017-2-ND	10,000	6.00/M	C0402C330J5GACTU
		50	39pF	±5%	0.5	399-1018-1-ND	.24	1.43	4.13	399-1018-2-ND	10,000	6.00/M	C0402C390J5GACTU
		50	47pF	±5%	0.5	399-1019-1-ND	.24	1.43	4.13	399-1019-2-ND	10,000	6.00/M	C0402C470J5GACTU
		50	56pF	±5%	0.5	399-1020-1-ND	.24	1.43	4.13	399-1020-2-ND	10,000	6.00/M	C0402C560J5GACTU
		50	75pF	±5%	0.5	399-3191-1-ND	4.62	27.30	78.75	399-3191-2-ND	10,000	76.00/M	C0402C750J5GACTU
		50	82pF	±5%	0.5	399-3192-1-ND	3.85	22.75	65.63	399-3192-2-ND	10,000	63.00/M	C0402C820J5GACTU
		50	91pF	±5%	0.5	399-3193-1-ND	4.62	27.30	78.75	399-3193-2-ND	10,000	76.00/M	C0402C910J5GACTU
		50	100pF	±5%	0.5	399-3194-1-ND	.24	1.43	4.13	399-3194-2-ND	10,000	6.00/M	C0402C101J5GACTU
		25	82pF	±5%	0.5	399-1021-1-ND	3.85	22.75	65.63	399-1021-2-ND	10,000	63.00/M	C0402C820J3GACTU
		25	100pF	±5%	0.5	399-1022-1-ND	.24	1.43	4.13	399-1022-2-ND	10,000	6.00/M	C0402C101J3GACTU
		50	220pF	±10%	0.5	399-1030-1-ND	.26	1.56	4.50	399-1030-2-ND	10,000	6.00/M	C0402C221K5RACTU
		50	330pF	±10%	0.5	399-1023-1-ND	4.07	24.05	69.38	399-1023-2-ND	10,000	67.00/M	C0402C331K5RACTU
		50	470pF	±10%	0.5	399-1025-1-ND	.21	1.24	3.56	399-1025-2-ND	10,000	5.00/M	C0402C471K5RACTU
		50	560pF	±10%	0.5	399-1026-1-ND	.73	4.29	12.38	399-1026-2-ND	10,000	17.00/M	C0402C561K5RACTU
		50	680pF	±10%	0.5	399-1027-1-ND	.28	1.63	4.69	399-1027-2-ND	10,000	6.00/M	C0402C681K5RACTU
		50	1000pF	±10%	0.5	399-1032-1-ND	.20	1.17	3.38	399-1032-2-ND	10,000	5.00/M	C0402C102K5RACTU
		50	1200pF	±10%	0.5	399-1028-1-ND	.73	4.29	12.38	399-1028-2-ND	10,000	17.00/M	C0402C122K5RACTU
		50	1500pF	±10%	0.5	399-1029-1-ND	.33	1.95	5.63	399-1029-2-ND	10,000	8.00/M	C0402C152K5RACTU
		50	1800pF	±10%	0.5	399-3067-1-ND	4.07	24.05	69.38	399-3067-2-ND	10,000	67.00/M	C0402C182K5RACTU
		50	2200pF	±10%	0.5	399-3068-1-ND	.23	1.37	3.94	399-3068-2-ND	10,000	5.00/M	C0402C222K5RACTU
		50	2700pF	±10%	0.5	399-3069-1-ND	.39	2.28	6.56	399-3069-2-ND	10,000	9.00/M	C0402C272K5RACTU
		50	3300pF	±10%	0.5	399-3070-1-ND	.31	1.82	5.25	399-3070-2-ND	10,000	7.00/M	C0402C332K5RACTU
		50	3900pF	±10%	0.5	399-3071-1-ND	.30	1.76	5.06	399-3071-2-ND	10,000	7.00/M	C0402C392K5RACTU
		50	4700pF	±10%	0.5	399-3072-1-ND	.22	1.30	3.75	399-3072-2-ND	10,000	5.00/M	C0402C472K5RACTU
		50	5600pF	±10%	0.5	399-3073-1-ND	2.44	14.43	41.63	399-3073-2-ND	10,000	40.00/M	C0402C562K5RACTU
		50	6800pF	±10%	0.5	399-3074-1-ND	2.44	14.43	41.63	399-3074-2-ND	10,000	40.00/M	C0402C682K5RACTU
		50	8200pF	±10%	0.5	399-3075-1-ND	2.44	14.43	41.63	399-3075-2-ND	10,000	40.00/M	C0402C822K5RACTU
		50	10000pF	±10%	0.5	399-3066-1-ND	.24	1.43	4.13	399-3066-2-ND	10,000	6.00/M	C0402C103K5RACTU
		25	470pF	±10%	0.5	399-1024-1-ND	4.07	24.05	69.38	399-1024-2-ND	10,000	67.00/M	C0402C471K3RACTU
		25	1000pF	±10%	0.5	399-1031-1-ND	.20	1.17	3.38	399-1031-2-ND	10,000	5.00/M	C0402C102K3RACTU
		25	2200pF	±10%	0.5	399-1033-1-ND	.63	3.71	10.69	399-1033-2-ND	10,000	14.00/M	C0402C222K3RACTU
		25	3900pF	±10%	0.5	399-1034-1-ND	.55	3.25	9.38	399-1034-2-ND	10,000	13.00/M	C0402C392K3RACTU
		25	4700pF	±10%	0.5	399-1035-1-ND	.23	1.37	3.94	399-1035-2-ND	10,000	5.00/M	C0402C472K3RACTU
	25	5600pF	±10%	0.5	399-1276-1-ND	.33	1.95	5.63	399-1276-2-ND	10,000	8.00/M	C0402C562K3RACTU	
	25	8200pF	±10%	0.5	399-1277-1-ND	2.44	14.43	41.63	399-1277-2-ND	10,000	40.00/M	C0402C822K3RACTU	
	25	10000pF	±5%	0.5	399-1279-1-ND	.33	1.95	5.63	399-1279-2-ND	10,000	8.00/M	C0402C103J3RACTU	
	25	10000pF	±10%	0.5	399-1278-1-ND	.20	1.17	3.38	399-1278-2-ND	10,000	5.00/M	C0402C103K3RACTU	
	16	5600pF	±10%	0.5	399-1036-1-ND	4.07	24.05	69.38	399-1036-2-ND	10,000	67.00/M	C0402C562K4RACTU	
	16	8200pF	±10%	0.5	399-1037-1-ND	4.07	24.05	69.38	399-1037-2-ND	10,000	67.00/M	C0402C822K4RACTU	
	16	10000pF	±5%	0.5	399-1039-1-ND	5.39	31.85	91.88	399-1039-2-ND	10,000	88.00/M	C0402C103J4RACTU	
	16	10000pF	±10%	0.5	399-1038-1-ND	.20	1.17	3.38	399-1038-2-ND	10,000	5.00/M	C0402C103K4RACTU	
	16	12000pF	±10%	0.5	399-4875-1-ND	4.29	25.35	73.13	399-4875-2-ND	10,000	70.00/M	C0402C123K4RACTU	
	16	15000pF	±10%	0.5	399-4878-1-ND	4.29	25.35	73.13	399-4878-2-ND	10,000	70.00/M	C0402C153K4RACTU	
	16	18000pF	±10%	0.5	399-4881-1-ND	4.29	25.35	73.13	399-4881-2-ND	10,000	70.00/M	C0402C183K4RACTU	
	16	22000pF	±10%	0.5	399-3518-1-ND	4.29	25.35	73.13	399-3518-2-ND	10,000	70.00/M	C0402C223K4RACTU	
	16	27000pF	±10%	0.5	399-4888-1-ND	4.29	25.35	73.13	399-4888-2-ND	10,000	70.00/M	C0402C273K4RACTU	
	16	33000pF	±10%	0.5	399-4891-1-ND	4.29	25.35	73.13	399-4891-2-ND	10,000	70.00/M	C0402C333K4RACTU	
	16	39000pF	±10%	0.5	399-4894-1-ND	4.29	25.35	73.13	399-4894-2-ND	10,000	70.00/M	C0402C393K4RACTU	
	16	47000pF	±10%	0.5	399-3519-1-ND	4.29	25.35	73.13	399-3519-2-ND	10,000	70.00/M	C0402C473K4RACTU	
	16	56000pF	±10%	0.5	399-4901-1-ND	4.29	25.35	73.13	399-4901-2-ND	10,000	70.00/M	C0402C563K4RACTU	
	16	68000pF	±10%	0.5	399-4904-1-ND	4.29	25.35	73.13	399-4904-2-ND	10,000	70.00/M	C0402C683K4RACTU	
	16	82000pF	±10%	0.5	399-4907-1-ND	4.29	25.35	73.13	399-4907-2-ND	10,000	70.00/M	C0402C823K4RACTU	
	16	.1uF	±10%	0.5	399-3521-1-ND	.26	1.56	4.50	399-3521-2-ND	10,000	6.00/M	C0402C104K4RACTU	
	10	12000pF	±10%	0.5	399-4876-1-ND	4.07	24.05	69.38	399-4876-2-ND	10,000	67.00/M	C0402C123K8RACTU	
	10	15000pF	±10%	0.5	399-4879-1-ND	4.07	24.05	69.38	399-4879-2-ND	10,000	67.00/M	C0402C153K8RACTU	
	10												



外壳尺寸	类型	WV DC	电容	容差	尺寸 T (mm)	Digi-Key 零件编号	剪切带价格			Digi-Key 零件编号	带卷		Kemet 零件编号		
							10	100	500		数量	价格			
0402	X7R	6.3	39000pF	±10%	0.5	399-4896-1-ND	4.07	24.05	69.38	399-4896-2-ND	10,000	67.00/M	C0402C393K9RACTU		
		6.3	47000pF	±10%	0.5	399-4898-1-ND	4.07	24.05	69.38	399-4898-2-ND	10,000	67.00/M	C0402C473K9RACTU		
		6.3	56000pF	±10%	0.5	399-4903-1-ND	4.07	24.05	69.38	399-4903-2-ND	10,000	67.00/M	C0402C563K9RACTU		
		6.3	68000pF	±10%	0.5	399-4906-1-ND	4.07	24.05	69.38	399-4906-2-ND	10,000	67.00/M	C0402C683K9RACTU		
		6.3	82000pF	±10%	0.5	399-4909-1-ND	4.07	24.05	69.38	399-4909-2-ND	10,000	67.00/M	C0402C823K9RACTU		
		6.3	.1µF	±10%	0.5	399-4872-1-ND	.50	2.93	8.44	399-4872-2-ND	10,000	11.00/M	C0402C104K9RACTU		
	X5R	10	12000pF	±10%	0.5	399-3009-1-ND	2.31	13.65	39.38	399-3009-2-ND	10,000	38.00/M	C0402C123K8PACTU		
		10	15000pF	±10%	0.5	399-3011-1-ND	2.31	13.65	39.38	399-3011-2-ND	10,000	38.00/M	C0402C153K8PACTU		
		10	18000pF	±10%	0.5	399-3013-1-ND	2.31	13.65	39.38	399-3013-2-ND	10,000	38.00/M	C0402C183K8PACTU		
		10	22000pF	±10%	0.5	399-3015-1-ND	2.42	14.30	41.25	399-3015-2-ND	10,000	40.00/M	C0402C223K8PACTU		
		10	27000pF	±10%	0.5	399-3017-1-ND	2.42	14.30	41.25	399-3017-2-ND	10,000	40.00/M	C0402C273K8PACTU		
		10	33000pF	±10%	0.5	399-3019-1-ND	2.53	14.95	43.13	399-3019-2-ND	10,000	41.00/M	C0402C333K8PACTU		
		10	47000pF	±10%	0.5	399-3021-1-ND	2.64	15.60	45.00	399-3021-2-ND	10,000	43.00/M	C0402C473K8PACTU		
		10	68000pF	±10%	0.5	399-3023-1-ND	2.75	16.25	46.88	399-3023-2-ND	10,000	45.00/M	C0402C683K8PACTU		
		10	.1µF	±10%	0.5	399-3027-1-ND	.24	1.43	4.13	399-3027-2-ND	10,000	6.00/M	C0402C104K8PACTU		
		6.3	12000pF	±10%	0.5	399-3008-1-ND	2.31	13.65	39.38	399-3008-2-ND	10,000	38.00/M	C0402C123K9PACTU		
		6.3	15000pF	±10%	0.5	399-3010-1-ND	2.31	13.65	39.38	399-3010-2-ND	10,000	38.00/M	C0402C153K9PACTU		
		6.3	18000pF	±10%	0.5	399-3012-1-ND	2.31	13.65	39.38	399-3012-2-ND	10,000	38.00/M	C0402C183K9PACTU		
		6.3	22000pF	±10%	0.5	399-3014-1-ND	2.42	14.30	41.25	399-3014-2-ND	10,000	40.00/M	C0402C223K9PACTU		
		6.3	27000pF	±10%	0.5	399-3016-1-ND	2.42	14.30	41.25	399-3016-2-ND	10,000	40.00/M	C0402C273K9PACTU		
		6.3	33000pF	±10%	0.5	399-3018-1-ND	2.53	14.95	43.13	399-3018-2-ND	10,000	41.00/M	C0402C333K9PACTU		
		6.3	47000pF	±10%	0.5	399-3020-1-ND	2.64	15.60	45.00	399-3020-2-ND	10,000	43.00/M	C0402C473K9PACTU		
		6.3	68000pF	±10%	0.5	399-3022-1-ND	2.75	16.25	46.88	399-3022-2-ND	10,000	45.00/M	C0402C683K9PACTU		
		6.3	.1µF	±10%	0.5	399-3026-1-ND	.44	2.60	7.50	399-3026-2-ND	10,000	10.00/M	C0402C104K9PACTU		
		6.3	.22µF	±10%	0.5	399-4886-1-ND	4.40	26.00	75.00	399-4886-2-ND	10,000	72.00/M	C0402C224K9PACTU		
		6.3	.22µF	±20%	0.5	399-4887-1-ND	4.29	25.35	73.13	399-4887-2-ND	10,000	70.00/M	C0402C224M9PACTU		
		6.3	.1µF	±10%	0.5	399-4873-1-ND	.50	2.93	8.44	399-4873-2-ND	10,000	8.00/M	C0402C105K9PACTU		
		6.3	.1µF	±20%	0.5	399-4874-1-ND	2.04	12.03	34.69	399-4874-2-ND	10,000	33.00/M	C0402C105M9PACTU		
		0603	COG (NPO)	100	220pF	±5%	0.8	399-4910-1-ND	2.97	17.55	50.63	399-4910-2-ND	4,000	49.00/M	C0603C221J1GACTU
				50	.5pF	±0.25pF	0.8	399-1044-1-ND	4.88	28.86	83.25	399-1044-2-ND	4,000	80.00/M	C0603C508C5GACTU
				50	1pF	±0.25pF	0.8	399-1045-1-ND	4.07	24.05	69.38	399-1045-2-ND	4,000	67.00/M	C0603C109C5GACTU
				50	1.5pF	±0.25pF	0.8	399-1046-1-ND	4.07	24.05	69.38	399-1046-2-ND	4,000	67.00/M	C0603C159C5GACTU
				50	2pF	±0.25pF	0.8	399-1047-1-ND	4.88	28.86	83.25	399-1047-2-ND	4,000	80.00/M	C0603C209C5GACTU
				50	3pF	±0.25pF	0.8	399-1048-1-ND	4.88	28.86	83.25	399-1048-2-ND	4,000	80.00/M	C0603C309C5GACTU
				50	10pF	±5%	0.8	399-1049-1-ND	.28	1.63	4.69	399-1049-2-ND	4,000	6.00/M	C0603C100J5GACTU
				50	12pF	±5%	0.8	399-1050-1-ND	.39	2.28	6.56	399-1050-2-ND	4,000	9.00/M	C0603C120J5GACTU
50	15pF			±5%	0.8	399-1051-1-ND	.36	2.15	6.19	399-1051-2-ND	4,000	8.00/M	C0603C150J5GACTU		
50	18pF			±5%	0.8	399-1052-1-ND	.36	2.15	6.19	399-1052-2-ND	4,000	8.00/M	C0603C180J5GACTU		
50	22pF			±5%	0.8	399-1053-1-ND	.36	2.15	6.19	399-1053-2-ND	4,000	8.00/M	C0603C220J5GACTU		
50	27pF			±5%	0.8	399-1054-1-ND	.36	2.15	6.19	399-1054-2-ND	4,000	8.00/M	C0603C270J5GACTU		
50	33pF			±5%	0.8	399-1055-1-ND	.33	1.95	5.63	399-1055-2-ND	4,000	8.00/M	C0603C330J5GACTU		
50	47pF			±5%	0.8	399-1056-1-ND	.39	2.28	6.56	399-1056-2-ND	4,000	9.00/M	C0603C470J5GACTU		
50	56pF			±5%	0.8	399-1057-1-ND	.29	1.69	4.88	399-1057-2-ND	4,000	7.00/M	C0603C560J5GACTU		
50	68pF			±5%	0.8	399-1058-1-ND	.37	2.21	6.38	399-1058-2-ND	4,000	9.00/M	C0603C680J5GACTU		
50	82pF			±5%	0.8	399-1060-1-ND	.39	2.28	6.56	399-1060-2-ND	4,000	9.00/M	C0603C820J5GACTU		
50	82pF			±10%	0.8	399-1059-1-ND	2.20	13.00	37.50	399-1059-2-ND	4,000	36.00/M	C0603C820K5GACTU		
50	100pF			±5%	0.8	399-1061-1-ND	.26	1.56	4.50	399-1061-2-ND	4,000	6.00/M	C0603C101J5GACTU		
50	120pF			±5%	0.8	399-1062-1-ND	.39	2.28	6.56	399-1062-2-ND	4,000	9.00/M	C0603C121J5GACTU		
50	150pF			±5%	0.8	399-1063-1-ND	.44	2.60	7.50	399-1063-2-ND	4,000	10.00/M	C0603C151J5GACTU		
50	180pF			±5%	0.8	399-1064-1-ND	.97	5.72	16.50	399-1064-2-ND	4,000	22.00/M	C0603C181J5GACTU		
50	220pF			±5%	0.8	399-1066-1-ND	.48	2.86	8.25	399-1066-2-ND	4,000	11.00/M	C0603C221J5GACTU		
50	220pF			±10%	0.8	399-1065-1-ND	2.64	15.60	45.00	399-1065-2-ND	4,000	43.00/M	C0603C221K5GACTU		
50	270pF			±5%	0.8	399-1067-1-ND	.47	2.80	8.06	399-1067-2-ND	4,000	11.00/M	C0603C271J5GACTU		
50	330pF			±5%	0.8	399-1068-1-ND	.54	3.19	9.19	399-1068-2-ND	4,000	12.00/M	C0603C331J5GACTU		
50	390pF			±5%	0.8	399-1069-1-ND	.63	3.71	10.69	399-1069-2-ND	4,000	14.00/M	C0603C391J5GACTU		
50	560pF			±5%	0.8	399-3287-1-ND	.72	4.23	12.19	399-3287-2-ND	4,000	16.00/M	C0603C561J5GACTU		
50	620pF			±5%	0.8	399-3288-1-ND	3.85	22.75	65.63	399-3288-2-ND	4,000	63.00/M	C0603C621J5GACTU		
50	680pF			±5%	0.8	399-3289-1-ND	.61	3.58	10.31	399-3289-2-ND	4,000	14.00/M	C0603C681J5GACTU		
50	750pF			±5%	0.8	399-3290-1-ND	3.96	23.40	67.50	399-3290-2-ND	4,000	65.00/M	C0603C751J5GACTU		
50	820pF			±5%	0.8	399-3291-1-ND	.99	5.85	16.88	399-3291-2-ND	4,000	23.00/M	C0603C821J5GACTU		
50	910pF			±5%	0.8	399-3292-1-ND	4.09	24.18	69.75	399-3292-2-ND	4,000	67.00/M	C0603C911J5GACTU		
50	1000pF			±5%	0.8	399-3293-1-ND	.59	3.51	10.13	399-3293-2-ND	4,000	14.00/M	C0603C102J5GACTU		
X7R	200			10000pF	±10%	0.8	399-5088-1-ND	4.00	23.66	68.25	399-5088-2-ND	4,000	66.00/M	C0603C103K2RACTU	
	100			5600pF	±10%	0.8	399-3186-1-ND	3.30	19.50	56.25	399-3186-2-ND	4,000	54.00/M	C0603C562K1RACTU	
	100		6800pF	±10%	0.8	399-3187-1-ND	3.30	19.50	56.25	399-3187-2-ND	4,000	54.00/M	C0603C682K1RACTU		
	100		8200pF	±10%	0.8	399-3188-1-ND	3.30	19.50	56.25	399-3188-2-ND	4,000	54.00/M	C0603C822K1RACTU		
	100		10000pF	±10%	0.8	399-3190-1-ND	4.95	29.25	84.38	399-3190-2-ND	4,000	81.00/M	C0603C103J1RACTU		
	100		10000pF	±10%	0.8	399-3189-1-ND	3.30	19.50	56.25	399-3189-2-ND	4,000	54.00/M	C0603C103K1RACTU		
	100		12000pF	±10%	0.8	399-3473-1-ND	3.30	19.50	56.25	399-3473-2-ND	4,000	54.00/M	C0603C123K1RACTU		
	100		15000pF	±10%	0.8	399-3474-1-ND	3.30	19.50	56.25	399-3474-2-ND	4,000	54.00/M	C0603C153K1RACTU		
	100		18000pF	±10%	0.8	399-3475-1-ND	3.30	19.50	56.25	399-3475-2-ND	4,000	54.00/M	C0603C183K1RACTU		
	100		22000pF	±10%	0.8	399-3476-1-ND	3.30	19.50	56.25	399-3476-2-ND	4,000	54.00/M	C0603C223K1RACTU		
	100		27000pF	±10%	0.8	399-3477-1-ND	3.30	19.50	56.25	399-3477-2-ND	4,000	54.00/M	C0603C273K1RACTU		
	100		33000pF	±10%	0.8	399-3478-1-ND	3.30	19.50	56.25	399-3478-2-ND	4,000	54.00/M	C0603C333K1RACTU		
	100		39000pF	±10%	0.8	399-3479-1-ND	3.30	19.50	56.25	399-3479-2-ND	4,000	54.00/M	C0603C393K1RACTU		
	50		220pF	±10%	0.8	399-1071-1-ND	.42	2.47	7.13	399-1071-2-ND	4,000	10.00/M	C0603C221K5RACTU		
	50		220pF	±20%	0.8	399-1070-1-ND	2.75	16.25	46.88	399-1070-2-ND	4,000	45.00/M	C0603C221M5RACTU		
	50		270pF	±10%	0.8	399-1072-1-ND	2.86	16.90	48.75	399-1072-2-ND	4,000	47.00/M	C0603C271K5RACTU		
	50		330pF</												



外壳尺寸	类型	WV DC	电容	容差	尺寸 T (mm)	Digi-Key 零件编号	剪切带价格			Digi-Key 零件编号	带卷		Kemet 零件编号																											
							10	100	500		数量	价格																												
X7R	25	.1μF	±20%	0.8	399-1281-1-ND	1.18	6.96	20.06	399-1281-2-ND	4,000	19.00/M	C0603C104K3RACTU																												
													3.23	19.11	55.13	399-1283-2-ND	4,000	53.00/M	C0603C104M3RACTU																					
																				.44	2.60	7.50	399-1093-2-ND	4,000	10.00/M	C0603C223K4RACTU														
																											.83	4.88	14.06	399-1097-2-ND	4,000	19.00/M	C0603C104J4RACTU							
																																		.20	1.17	4.28	399-1096-2-ND	4,000	5.00/M	C0603C104K4RACTU
	4.84	28.60	82.50	399-4913-2-ND	4,000	79.00/M	C0603C274K4RACTU																																	
								5.06	29.90	86.25	399-4916-2-ND	4,000	83.00/M	C0603C334K4RACTU																										
															5.28	31.20	90.00	399-4919-2-ND	4,000	86.00/M	C0603C394K4RACTU																			
																						5.50	32.50	93.75	399-4922-2-ND	4,000	90.00/M	C0603C474K4RACTU												
																													.23	1.37	3.94	399-1095-2-ND	4,000	5.00/M	C0603C104K8RACTU					
																																				4.84	28.60	82.50	399-4914-2-ND	4,000
	5.06	29.90	86.25	399-4917-2-ND	4,000	83.00/M	C0603C334K8RACTU																																	
								5.28	31.20	90.00	399-4920-2-ND	4,000	86.00/M	C0603C394K8RACTU																										
															5.50	32.50	93.75	399-4923-2-ND	4,000	90.00/M	C0603C474K8RACTU																			
																						.23	1.37	3.94	399-1095-2-ND	4,000	5.00/M	C0603C104K8RACTU												
																													4.84	28.60	82.50	399-4914-2-ND	4,000	79.00/M	C0603C274K8RACTU					
																																				5.06	29.90	86.25	399-4917-2-ND	4,000
	5.28	31.20	90.00	399-4920-2-ND	4,000	86.00/M	C0603C394K8RACTU																																	
								5.50	32.50	93.75	399-4923-2-ND	4,000	90.00/M	C0603C474K8RACTU																										
															.23	1.37	3.94	399-1095-2-ND	4,000	5.00/M	C0603C104K9RACTU																			
																						4.84	28.60	82.50	399-4915-2-ND	4,000	79.00/M	C0603C274K9RACTU												
																													5.06	29.90	86.25	399-4918-2-ND	4,000	83.00/M	C0603C334K9RACTU					
																																				5.28	31.20	90.00	399-4921-2-ND	4,000
5.50	32.50	93.75	399-4924-2-ND	4,000	90.00/M	C0603C474K9RACTU																																		
							.75	4.42	12.75	399-5090-2-ND	4,000	12.00/M	C0603C105K4PACTU																											
														2.60	15.34	44.25	399-3111-2-ND	4,000	42.00/M	C0603C274K9PACTU																				
																					2.60	15.34	44.25	399-3112-2-ND	4,000	42.00/M	C0603C334K9PACTU													
																												2.60	15.34	44.25	399-3113-2-ND	4,000	42.00/M	C0603C394K9PACTU						
																																			.94	5.53	15.94	399-3114-2-ND	4,000	21.00/M
2.60	15.34	44.25	399-3115-2-ND	4,000	42.00/M	C0603C584K9PACTU																																		
							2.60	15.34	44.25	399-3116-2-ND	4,000	42.00/M	C0603C684K9PACTU																											
														2.60	15.34	44.25	399-3117-2-ND	4,000	42.00/M	C0603C824K9PACTU																				
																					.44	2.60	7.50	399-3118-2-ND	4,000	7.00/M	C0603C105K8PACTU													
																												5.50	32.50	93.75	399-4911-2-ND	4,000	90.00/M	C0603C225K8PACTU						
																																			5.39	31.85	91.88	399-4912-2-ND	4,000	88.00/M
1.21	7.15	20.63	399-3362-2-ND	4,000	20.00/M	C0603C225K9PACTU																																		
							1.43	8.45	24.38	399-3482-2-ND	4,000	23.00/M	C0603C475K9PACTU																											
														.20	1.17	3.38	399-1100-2-ND	4,000	5.00/M	C0603C104Z3VACTU																				
																					.61	3.58	10.31	399-1101-2-ND	4,000	14.00/M	C0603C104M3VACTU													
																												2.90	17.16	49.50	399-1290-2-ND	4,000	48.00/M	C0603C154Z3VACTU						
																																			3.10	18.33	52.88	399-1103-2-ND	4,000	51.00/M
3.41	20.15	58.13	399-1292-2-ND	4,000	56.00/M	C0603C334Z3VACTU																																		
							.26	1.56	4.50	399-1098-2-ND	4,000	6.00/M	C0603C104Z4VACTU																											
														2.83	16.71	48.19	399-1289-2-ND	4,000	46.00/M	C0603C154Z4VACTU																				
																					.44	2.60	7.50	399-1102-2-ND	4,000	10.00/M	C0603C224Z4VACTU													
																												2.97	17.55	50.63	399-1291-2-ND	4,000	49.00/M	C0603C334Z4VACTU						
																																			2.92	17.23	49.69	399-3218-2-ND	4,000	48.00/M
3.96	23.40	67.50	399-3220-2-ND	4,000	65.00/M	C0603C684Z8VACTU																																		
							.44	2.60	7.50	399-3216-2-ND	4,000	10.00/M	C0603C105Z8VACTU																											
														2.92	17.23	49.69	399-3219-2-ND	4,000	48.00/M	C0603C474Z9VACTU																				
																					3.96	23.40	67.50	399-3221-2-ND	4,000	65.00/M	C0603C684Z9VACTU													
																												1.32	7.80	22.50	399-3217-2-ND	4,000	22.00/M	C0603C105Z9VACTU						
																																			5.07	29.97	86.44	399-5102-2-ND	2,500	78.00/M
1.21	7.15	20.63	399-1109-2-ND	4,000	20.00/M	C0805C100J1GACTU																																		
							.68	4.03	11.63	399-1123-2-ND	4,000	16.00/M	C0805C101J1GACTU																											
														3.08	18.20	52.50	399-1128-2-ND	4,000	50.00/M	C0805C221J1GACTU																				
																					1.21	7.15	20.63	399-1131-2-ND	4,000	20.00/M	C0805C331J1GACTU													
																												4.07	24.05	69.38	399-1137-2-ND	4,000	67.00/M	C0805C102J1GACTU						
																																			3.85	22.75	65.63	399-1104-2-ND	4,000	63.00/M
3.85	22.75	65.63	399-1105-2-ND	4,000	63.00/M	C0805C159C5GACTU																																		
							4.62	27.30	78.75	399-1106-2-ND	4,000	76.00/M	C0805C209C5GACTU																											
														4.62	27.30	78.75	399-1107-2-ND	4,000	76.00/M	C0805C309C5GACTU																				
																					.61	3.58	10.31	399-1108-2-ND	4,000	14.00/M	C0805C100J5GACTU													
																												.80	4.75	13.69	399-1110-2-ND	4,000	18.00/M	C0805C120J5GACTU						
																																			.79	4.68	13.50	399-1111-2-ND	4,000	18.00/M
.75	4.42	12.75	399-1112-2-ND	4,000	17.00/M	C0805C180J5GACTU																																		
							.97	5.72	16.50	399-1113-2-ND	4,000	22.00/M	C0805C220J5GACTU																											
														.80	4.75	13.69	399-1114-2-ND	4,000	18.00/M	C0805C270J5GACTU																				
																					.55	3.25	9.38	399-1115-2-ND	4,000	13.00/M	C0805C330J5GACTU													
																												2.20	13.00	37.50	399-1116-2-ND	4,000	36.00/M	C0805C390J5GACTU						
																																			.55	3.25	9.38	399-1117-2-ND	4,000	13.00/M
.95	5.59	16.13	399-1118-2-ND	4,000	22.00/M	C0805C560J5GACTU																																		
							.97	5.72	16.50	399-1119-2-ND	4,000	22.00/M	C0805C680J5GACTU																											
														.91	5.40	15.56	399-1120-2-ND	4,000	21.00/M	C0805C820J5GACTU																				
																					.97	5.72	16.50	399-1122-2-ND	4,000	22.00/M	C0805C101J5GACTU													
																												.50	2.93	8.44	399-1121-2-ND	4,000	11.00/M	C0805C101K5GACTU						
																																			1.10	6.50	18.75	399-1124-2-ND	4,000	18.00/M
.65	3.84	11.06	399-1125-2-ND	4,000	15.00/M	C0805C151J5GACTU																																		
							.78	4.62	13.31	399-1126-2-ND	4,000	18.00/M	C0805C181J5GACTU																											
														1.10	6.50	18.75	399-1127-2-ND	4,000	18.00/M	C0805C221J5GACTU																				
																					2.64	15.60	45.00	399-1129-2-ND	4,000	43.00/M	C0805C271J5GACTU													
																												.55	3.25	9.38	399-1130-2-ND	4,000	13.00/M	C0805C331J5GACTU						
																																			2.86	16.90	48.75	399-1132-2-ND	4,000	47.00/M
1.60	9.43	27.19	399-1133-2-ND	4,000	26.00/M	C0805C471J5GACTU																																		
							1.07	6.31	18.19	399-1134-2-ND	4,000	24.00/M	C0805C561J5GACTU																											
														1.10	6.50	18.75	399-1135-2-ND	4,000	18.00/M	C0805C681J5GACTU																				
																					.85	5.01	14.44	399-1136-2-ND	4,000	19.00/M	C0805C102J5GACTU													
																												5.29	31.27	90.19	399-4818-2-ND	2,500	87.00/M	C0805C102KDRACTU						
																																			5.78	34.13	98.44	399-4666-2-ND	4,000	95.00/M
5.78	34.13	98.44	399-4667-2-ND	4,000	95.00/M	C0805C222KARACTU																																		
							5.78	34.13	98.44	399-4668-2-ND	4,000	95.00/M	C0805C472KARACTU																											
														1.29	7.61	21.94	399-4669-2-ND	4,000	21.00/M	C0805C103KARACTU																				
																					5.78	34.13	98.44	399-4670-2-ND	4,000	95.00/M	C0805C223KARACTU													
																												3.65	21.58	62.25	399-5108-2-ND†	2,500	56.00/M	C0805F223K1RACTU						
																																			1.05	6.18	17.81	399-1148-2-ND	4,000	24.00/M
.43	2.54	7.31	399-1159-2-ND	4,000	10.00/M	C0805C103K1RACTU																																		
							3.54	20.93	60.38	399-3483-2-ND	2,500	58.00/M	C0805C563K1RACTU																											
														3.54	20.93	60.38	399-3484-2-ND	2,500	58.00/M	C0805C683K1RACTU																				
																					3.54	20.93	60.38	399-3485-2-ND	2,500	58.00/M	C0805C823K1RACTU													
																												3.54												



外壳尺寸	类型	WV DC	电容	容差	尺寸 T (mm)	Digi-Key 零件编号	剪切带价格			Digi-Key 零件编号	带卷		Kemet 零件编号	
							10	100	500		数量	价格		
0805	X7R	50	220pF	±10%	0.78	399-1138-1-ND	3.63	21.45	61.88	399-1138-2-ND	4,000	59.00/M	C0805C221K5FRACU	
		50	270pF	±10%	0.78	399-1139-1-ND	3.63	21.45	61.88	399-1139-2-ND	4,000	59.00/M	C0805C271K5FRACU	
		50	330pF	±10%	0.78	399-1140-1-ND	.58	3.45	9.94	399-1140-2-ND	4,000	13.00/M	C0805C331K5FRACU	
		50	390pF	±10%	0.78	399-1141-1-ND	3.63	21.45	61.88	399-1141-2-ND	4,000	59.00/M	C0805C391K5FRACU	
		50	470pF	±10%	0.78	399-1142-1-ND	.57	3.38	9.75	399-1142-2-ND	4,000	13.00/M	C0805C471K5FRACU	
		50	560pF	±10%	0.78	399-1143-1-ND	2.75	16.25	46.88	399-1143-2-ND	4,000	45.00/M	C0805C561K5FRACU	
		50	680pF	±10%	0.78	399-1144-1-ND	2.75	16.25	46.88	399-1144-2-ND	4,000	45.00/M	C0805C681K5FRACU	
		50	820pF	±10%	0.78	399-1145-1-ND	2.75	16.25	46.88	399-1145-2-ND	4,000	45.00/M	C0805C821K5FRACU	
		50	1000pF	±5%	0.78	399-1149-1-ND	.83	4.88	14.06	399-1149-2-ND	4,000	19.00/M	C0805C102J5FRACU	
		50	1000pF	±10%	0.78	399-1147-1-ND	.34	2.02	5.81	399-1147-2-ND	4,000	8.00/M	C0805C102K5FRACU	
		50	1000pF	±20%	0.78	399-1146-1-ND	.50	2.93	8.44	399-1146-2-ND	4,000	11.00/M	C0805C102M5FRACU	
		50	1500pF	±10%	0.78	399-1150-1-ND	2.75	16.25	46.88	399-1150-2-ND	4,000	45.00/M	C0805C152K5FRACU	
		50	2200pF	±10%	0.78	399-1151-1-ND	.37	2.21	6.38	399-1151-2-ND	4,000	9.00/M	C0805C222K5FRACU	
		50	2700pF	±10%	0.78	399-1152-1-ND	2.75	16.25	46.88	399-1152-2-ND	4,000	45.00/M	C0805C272K5FRACU	
		50	3300pF	±10%	0.78	399-1153-1-ND	.46	2.73	7.88	399-1153-2-ND	4,000	11.00/M	C0805C332K5FRACU	
		50	3900pF	±10%	0.78	399-1154-1-ND	.51	2.99	8.63	399-1154-2-ND	4,000	12.00/M	C0805C392K5FRACU	
		50	4700pF	±10%	0.78	399-1155-1-ND	.43	2.54	7.31	399-1155-2-ND	4,000	10.00/M	C0805C472K5FRACU	
		50	5600pF	±10%	0.78	399-1156-1-ND	2.75	16.25	46.88	399-1156-2-ND	4,000	45.00/M	C0805C562K5FRACU	
		50	6800pF	±10%	0.78	399-1157-1-ND	2.75	16.25	46.88	399-1157-2-ND	4,000	45.00/M	C0805C682K5FRACU	
		50	10000pF	±10%	0.78	399-1158-1-ND	.33	1.95	5.63	399-1158-2-ND	4,000	8.00/M	C0805C103K5FRACU	
		50	10000pF	±10%	0.78	399-5107-1-ND†	3.07	18.14	52.31	399-5107-2-ND†	4,000	50.00/M	C0805F103K5FRACU	
		50	10000pF	±20%	0.78	399-1160-1-ND	.33	1.95	5.63	399-1160-2-ND	4,000	8.00/M	C0805C103M5FRACU	
		50	15000pF	±10%	0.9	399-1161-1-ND	.46	2.73	7.88	399-1161-2-ND	4,000	11.00/M	C0805C153K5FRACU	
		50	18000pF	±10%	0.78	399-1162-1-ND	3.08	18.20	52.50	399-1162-2-ND	4,000	50.00/M	C0805C183K5FRACU	
		50	22000pF	±10%	0.78	399-1163-1-ND	.58	3.45	9.94	399-1163-2-ND	4,000	13.00/M	C0805C223K5FRACU	
		50	27000pF	±10%	0.78	399-1164-1-ND	.67	3.97	11.44	399-1164-2-ND	4,000	15.00/M	C0805C273K5FRACU	
		50	33000pF	±10%	0.78	399-1165-1-ND	.69	4.10	11.81	399-1165-2-ND	4,000	16.00/M	C0805C333K5FRACU	
		50	47000pF	±10%	0.9	399-1166-1-ND	.61	3.58	10.31	399-1166-2-ND	4,000	14.00/M	C0805C473K5FRACU	
		50	47000pF	±10%	0.78	399-5109-1-ND†	3.76	22.23	64.13	399-5109-2-ND†	4,000	62.00/M	C0805F473K5FRACU	
		50	.1µF	±5%	0.9	399-1171-1-ND	1.21	7.15	20.63	399-1171-2-ND	4,000	20.00/M	C0805C104J5FRACU	
		50	.1µF	±10%	0.9	399-1170-1-ND	.46	2.73	7.88	399-1170-2-ND	4,000	11.00/M	C0805C104K5FRACU	
		50	.1µF	±10%	0.9	399-5110-1-ND†	5.54	32.76	94.50	399-5110-2-ND†	2,500	86.00/M	C0805F104K5FRACU	
		50	.1µF	±20%	0.9	399-1169-1-ND	.46	2.73	7.88	399-1169-2-ND	4,000	11.00/M	C0805C104M5FRACU	
		50	.12µF	±10%	1.0	399-3487-1-ND	6.39	37.77	108.94	399-3487-2-ND	4,000	105.00/M	C0805C124K5FRACU	
		50	.15µF	±10%	0.9	399-3489-1-ND	6.90	40.76	117.56	399-3489-2-ND	4,000	113.00/M	C0805C154K5FRACU	
		50	.18µF	±10%	0.9	399-3490-1-ND	7.57	44.72	129.00	399-3490-2-ND	4,000	124.00/M	C0805C184K5FRACU	
		50	.22µF	±10%	0.9	399-3491-1-ND	2.01	11.90	34.31	399-3491-2-ND	4,000	33.00/M	C0805C224K5FRACU	
		50	.22µF	±10%	0.9	399-5111-1-ND†	6.05	35.75	103.13	399-5111-2-ND†	2,500	94.00/M	C0805F224K5FRACU	
		25	.1µF	±10%	0.9	399-1168-1-ND	.45	2.67	7.69	399-1168-2-ND	4,000	10.00/M	C0805C104K3FRACU	
		25	.47µF	±10%	1.25	399-5112-1-ND†	6.05	35.75	103.13	399-5112-2-ND†	2,500	94.00/M	C0805F474K3FRACU	
		25	.56µF	±10%	1.25	399-3492-1-ND	11.50	67.93	195.94	399-3492-2-ND	2,500	168.00/M	C0805C564K3FRACU	
		16	.1µF	±10%	0.9	399-1167-1-ND	.83	4.88	14.06	399-1167-2-ND	4,000	19.00/M	C0805C104K4FRACU	
		16	.1µF	±10%	1.25	399-1284-1-ND	.95	5.59	16.13	399-1284-2-ND	2,500	22.00/M	C0805C105K4FRACU	
		16	1.2µF	±10%	1.0	399-4927-1-ND	13.20	78.00	225.00	399-4927-2-ND	2,500	216.00/M	C0805C125K4FRACU	
		16	1.5µF	±10%	1.25	399-4930-1-ND	13.20	78.00	225.00	399-4930-2-ND	2,500	216.00/M	C0805C155K4FRACU	
		16	1.8µF	±10%	1.25	399-4933-1-ND	13.20	78.00	225.00	399-4933-2-ND	2,500	216.00/M	C0805C185K4FRACU	
		16	2.2µF	±10%	1.25	399-3523-1-ND	4.95	29.25	84.38	399-3523-2-ND	2,500	81.00/M	C0805C225K4FRACU	
		16	1µF	±10%	1.25	399-1172-1-ND	1.21	7.15	20.63	399-1172-2-ND	2,500	20.00/M	C0805C105K8FRACU	
		10	1.2µF	±10%	1.0	399-4928-1-ND	10.45	61.75	178.13	399-4928-2-ND	2,500	171.00/M	C0805C125K8FRACU	
		10	1.5µF	±10%	1.25	399-4931-1-ND	10.45	61.75	178.13	399-4931-2-ND	2,500	171.00/M	C0805C155K8FRACU	
		10	1.8µF	±10%	1.25	399-4934-1-ND	10.45	61.75	178.13	399-4934-2-ND	2,500	171.00/M	C0805C185K8FRACU	
		10	2.2µF	±10%	1.25	399-3522-1-ND	3.52	20.80	60.00	399-3522-2-ND	2,500	58.00/M	C0805C225K8FRACU	
		6.3	1.2µF	±10%	1.0	399-4929-1-ND	10.45	61.75	178.13	399-4929-2-ND	2,500	171.00/M	C0805C125K9FRACU	
		6.3	1.5µF	±10%	1.25	399-4932-1-ND	10.45	61.75	178.13	399-4932-2-ND	2,500	171.00/M	C0805C155K9FRACU	
		6.3	1.8µF	±10%	1.25	399-4935-1-ND	10.45	61.75	178.13	399-4935-2-ND	2,500	171.00/M	C0805C185K9FRACU	
		6.3	2.2µF	±10%	1.25	399-4936-1-ND	3.52	20.80	60.00	399-4936-2-ND	2,500	58.00/M	C0805C225K9FRACU	
		10	1.2µF	±10%	0.9	399-3119-1-ND	4.51	26.65	76.88	399-3119-2-ND	4,000	74.00/M	C0805C125K9PACTU	
		10	1.5µF	±10%	1.0	399-3121-1-ND	4.73	27.95	80.63	399-3121-2-ND	4,000	77.00/M	C0805C155K9PACTU	
		10	1.8µF	±10%	1.25	399-3123-1-ND	4.95	29.25	84.38	399-3123-2-ND	4,000	81.00/M	C0805C185K9PACTU	
		10	2.2µF	±10%	1.25	399-3125-1-ND	4.51	26.65	76.88	399-3125-2-ND	2,500	74.00/M	C0805C225K9PACTU	
		10	2.7µF	±10%	0.9	399-3127-1-ND	7.02	41.47	119.63	399-3127-2-ND	4,000	115.00/M	C0805C275K9PACTU	
		10	3.3µF	±10%	1.0	399-3129-1-ND	7.02	41.47	119.63	399-3129-2-ND	2,500	115.00/M	C0805C335K9PACTU	
		10	3.9µF	±10%	1.25	399-3131-1-ND	7.02	41.47	119.63	399-3131-2-ND	2,500	115.00/M	C0805C395K9PACTU	
		10	4.7µF	±10%	1.25	399-3133-1-ND	1.65	9.75	28.13	399-3133-2-ND	2,500	27.00/M	C0805C475K9PACTU	
		10	10µF	±10%	1.25	399-4925-1-ND	2.70	15.93	45.94	399-4925-2-ND	3,000	44.00/M	C0805C106K9PACTU	
		10	10µF	±20%	1.25	399-4926-1-ND	12.65	74.75	215.63	399-4926-2-ND	2,500	207.00/M	C0805C106M9PACTU	
		6.3	1.2µF	±10%	0.9	399-3120-1-ND	4.51	26.65	76.88	399-3120-2-ND	4,000	74.00/M	C0805C125K9PACTU	
		6.3	1.5µF	±10%	1.0	399-3122-1-ND	4.73	27.95	80.63	399-3122-2-ND	2,500	77.00/M	C0805C155K9PACTU	
		6.3	1.8µF	±10%	1.25	399-3124-1-ND	4.95	29.25	84.38	399-3124-2-ND	4,000	81.00/M	C0805C185K9PACTU	
		6.3	2.2µF	±10%	1.25	399-3126-1-ND	3.42	20.22	58.31	399-3126-2-ND	4,000	56.00/M	C0805C225K9PACTU	
		6.3	2.7µF	±10%	0.9	399-3128-1-ND	7.02	41.47	119.63	—	—	—	—	C0805C275K9PACTU
		6.3	3.3µF	±10%	1.0	399-3130-1-ND	7.02	41.47	119.63	399-3130-2-ND	2,500	115.00/M	C0805C335K9PACTU	
		6.3	3.9µF	±10%	1.25	399-3132-1-ND	7.02	41.47	119.63	399-3132-2-ND	2,500	115.00/M	C0805C395K9PACTU	
		6.3	4.7µF	±10%	1.25	399-3134-1-ND	1.32	7.80	22.50	399-3134-2-ND	2,500	22.00/M	C0805C475K9PACTU	
		6.3	5.6µF	±10%	1.25	399-3135-1-ND	14.44	85.35	246.19	399-3135-2-ND	2,500	236.00/M	C0805C565K9PACTU	
		6.3	6.8µF	±10%	1.25	399-3136-1-ND	14.44	85.35	246.19	399-3136-2-ND	2,500	236.00/M	C0805C685K9PACTU	
		6.3	10µF	±10%	1.25	399-3138-1-ND	2.42	14.30	41.25	399-3138-2-ND	3,000	40.00/M	C0805C106K9PACTU	
		6.3	22µF	±20%	1.25	399-4696-1-ND	5.39	31.85	91.88	399-4696-2-ND	2,500	88.00/M		



外壳尺寸	类型	WV DC	电容	容差	尺寸 T (mm)	Digi-Key 零件编号	剪切带价格			Digi-Key 零件编号	带卷		Kemet 零件编号
							10	100	500		数量	价格	
1206	COG (NPO)	50	2.2pF	±0.25pF	0.78	399-1181-1-ND	7.28	43.03	124.13	399-1181-2-ND	4,000	119.00/M	C1206C229C5GACTU
		50	2.7pF	±0.25pF	0.78	399-1182-1-ND	7.28	43.03	124.13	399-1182-2-ND	4,000	119.00/M	C1206C279C5GACTU
		50	3.3pF	±0.25pF	0.78	399-1183-1-ND	7.28	43.03	124.13	399-1183-2-ND	4,000	119.00/M	C1206C339C5GACTU
		50	3.9pF	±0.25pF	0.78	399-1184-1-ND	7.28	43.03	124.13	399-1184-2-ND	4,000	119.00/M	C1206C399C5GACTU
		50	4.7pF	±0.25pF	0.78	399-1185-1-ND	7.28	43.03	124.13	399-1185-2-ND	4,000	119.00/M	C1206C479C5GACTU
		50	5.1pF	±0.25pF	0.78	399-1186-1-ND	10.54	62.27	179.63	399-1186-2-ND	4,000	172.00/M	C1206C519C5GACTU
		50	5.6pF	±0.25pF	0.78	399-1187-1-ND	8.78	51.87	149.63	399-1187-2-ND	4,000	144.00/M	C1206C569C5GACTU
		50	6.8pF	±0.5pF	0.78	399-1188-1-ND	4.16	24.57	70.88	399-1188-2-ND	4,000	68.00/M	C1206C689D5GACTU
		50	7.5pF	±0.5pF	0.78	399-1189-1-ND	4.99	29.51	85.13	399-1189-2-ND	4,000	82.00/M	C1206C759D5GACTU
		50	8.2pF	±0.5pF	0.78	399-1190-1-ND	4.16	24.57	70.88	399-1190-2-ND	4,000	68.00/M	C1206C829D5GACTU
		50	9.1pF	±0.5pF	0.78	399-1191-1-ND	4.99	29.51	85.13	399-1191-2-ND	4,000	82.00/M	C1206C919D5GACTU
		50	10pF	±5%	0.78	399-1192-1-ND	1.71	10.08	29.06	399-1192-2-ND	4,000	28.00/M	C1206C100J5GACTU
		50	12pF	±5%	0.78	399-1193-1-ND	1.71	10.08	29.06	399-1193-2-ND	4,000	28.00/M	C1206C120J5GACTU
		50	15pF	±5%	0.78	399-1194-1-ND	1.71	10.08	29.06	399-1194-2-ND	4,000	28.00/M	C1206C150J5GACTU
		50	18pF	±5%	0.78	399-1195-1-ND	1.71	10.08	29.06	399-1195-2-ND	4,000	28.00/M	C1206C180J5GACTU
		50	20pF	±5%	0.78	399-1196-1-ND	4.99	29.51	85.13	399-1196-2-ND	4,000	82.00/M	C1206C200J5GACTU
		50	22pF	±5%	0.78	399-1197-1-ND	1.71	10.08	29.06	399-1197-2-ND	4,000	28.00/M	C1206C220J5GACTU
		50	27pF	±5%	0.78	399-1198-1-ND	1.71	10.08	29.06	399-1198-2-ND	4,000	28.00/M	C1206C270J5GACTU
		50	33pF	±5%	0.78	399-1199-1-ND	1.71	10.08	29.06	399-1199-2-ND	4,000	28.00/M	C1206C330J5GACTU
		50	39pF	±5%	0.78	399-1200-1-ND	4.16	24.57	70.88	399-1200-2-ND	4,000	68.00/M	C1206C390J5GACTU
		50	47pF	±5%	0.78	399-1201-1-ND	1.71	10.08	29.06	399-1201-2-ND	4,000	28.00/M	C1206C470J5GACTU
		50	51pF	±5%	0.78	399-1202-1-ND	4.99	29.51	85.13	399-1202-2-ND	4,000	82.00/M	C1206C510J5GACTU
		50	56pF	±5%	0.78	399-1203-1-ND	4.16	24.57	70.88	399-1203-2-ND	4,000	68.00/M	C1206C560J5GACTU
		50	68pF	±5%	0.78	399-1204-1-ND	4.16	24.57	70.88	399-1204-2-ND	4,000	68.00/M	C1206C680J5GACTU
		50	100pF	±5%	0.78	399-1205-1-ND	1.71	10.08	29.06	399-1205-2-ND	4,000	28.00/M	C1206C101J5GACTU
		50	120pF	±5%	0.78	399-1207-1-ND	4.16	24.57	70.88	399-1207-2-ND	4,000	68.00/M	C1206C121J5GACTU
		50	220pF	±10%	0.78	399-1208-1-ND	4.28	25.29	72.94	399-1208-2-ND	4,000	70.00/M	C1206C221K5GACTU
		50	270pF	±10%	0.78	399-1209-1-ND	4.39	25.94	74.81	399-1209-2-ND	4,000	72.00/M	C1206C271K5GACTU
		50	330pF	±10%	0.78	399-1210-1-ND	4.39	25.94	74.81	399-1210-2-ND	4,000	72.00/M	C1206C331K5GACTU
		50	390pF	±10%	0.78	399-1211-1-ND	4.51	26.65	76.88	399-1211-2-ND	4,000	74.00/M	C1206C391K5GACTU
		50	470pF	±10%	0.78	399-1213-1-ND	2.20	13.00	37.50	399-1213-2-ND	4,000	36.00/M	C1206C471J5GACTU
		50	470pF	±10%	0.78	399-1212-1-ND	4.51	26.65	76.88	399-1212-2-ND	4,000	74.00/M	C1206C471K5GACTU
		50	560pF	±10%	0.78	399-1215-1-ND	4.74	28.02	80.81	399-1215-2-ND	4,000	78.00/M	C1206C561K5GACTU
		50	680pF	±10%	0.78	399-1216-1-ND	4.97	29.38	84.75	399-1216-2-ND	4,000	81.00/M	C1206C681K5GACTU
		50	820pF	±10%	0.78	399-1217-1-ND	5.20	30.75	88.69	399-1217-2-ND	4,000	85.00/M	C1206C821K5GACTU
		50	1000pF	±5%	0.78	399-1218-1-ND	1.82	10.73	30.94	399-1218-2-ND	4,000	30.00/M	C1206C102J5GACTU
		50	4700pF	±5%	0.9	399-3503-1-ND	9.82	59.05	167.44	399-3503-2-ND	4,000	161.00/M	C1206C472J5GACTU
		2000	1000pF	±10%	1.65	399-4819-1-ND	17.84	105.43	304.13	399-4819-2-ND	2,000	292.00/M	C1206C102K5GACTU
		1500	470pF	±5%	1.65	399-4844-1-ND	18.15	107.25	309.25	399-4844-2-ND	2,000	281.00/M	C1206C472K5GACTU
		1000	1000pF	±10%	0.75	399-3437-1-ND	3.52	20.80	60.00	399-3437-2-ND	2,000	58.00/M	C1206C102KDRACTU
		1000	4700pF	±10%	1.65	399-4820-1-ND	3.73	22.04	63.56	399-4820-2-ND	2,000	61.00/M	C1206C472KDRACTU
		500	1000pF	±10%	1.15	399-3436-1-ND	4.40	26.00	75.00	399-3436-2-ND	2,000	72.00/M	C1206C102KCRACTU
		500	4700pF	±10%	1.65	399-5103-1-ND	15.18	89.70	258.75	399-5103-2-ND	2,000	235.00/M	C1206C472KCRACTU
		500	10000pF	±10%	1.4	399-3438-1-ND	8.25	48.75	140.63	399-3438-2-ND	2,000	135.00/M	C1206C103KCRACTU
		250	10000pF	±10%	0.78	399-4671-1-ND	7.85	46.41	133.88	399-4671-2-ND	4,000	129.00/M	C1206C103KARACTU
		250	22000pF	±10%	0.78	399-4672-1-ND	7.85	46.41	133.88	399-4672-2-ND	4,000	129.00/M	C1206C223KARACTU
		250	47000pF	±10%	1.0	399-4673-1-ND	8.25	48.75	140.63	399-4673-2-ND	2,500	135.00/M	C1206C473KARACTU
		250	.1µF	±10%	1.25	399-4674-1-ND	3.85	22.75	65.63	399-4674-2-ND	2,500	63.00/M	C1206C104KARACTU
		100	1000pF	±10%	0.78	399-1222-1-ND	1.87	11.05	31.88	399-1222-2-ND	4,000	31.00/M	C1206C102K1RACTU
		100	10000pF	±5%	0.78	399-1238-1-ND	1.98	11.70	33.75	399-1238-2-ND	4,000	32.00/M	C1206C103J1RACTU
		100	10000pF	±10%	0.78	399-1236-1-ND	1.32	7.80	22.50	399-1236-2-ND	4,000	22.00/M	C1206C103K1RACTU
		100	10000pF	±20%	0.78	399-1235-1-ND	1.32	7.80	22.50	399-1235-2-ND	4,000	22.00/M	C1206C103M1RACTU
		100	56000pF	±10%	0.78	399-1802-1-ND	5.54	32.76	94.50	399-1802-2-ND	4,000	91.00/M	C1206C563K1RACTU
		100	68000pF	±10%	0.78	399-1803-1-ND	6.01	35.49	102.38	399-1803-2-ND	4,000	98.00/M	C1206C683K1RACTU
		100	82000pF	±10%	0.78	399-1804-1-ND	6.31	37.31	107.63	399-1804-2-ND	4,000	103.00/M	C1206C823K1RACTU
		100	.1µF	±10%	0.78	399-1805-1-ND	2.37	13.98	40.31	399-1805-2-ND	4,000	39.00/M	C1206C104K1RACTU
		100	.1µF	±10%	0.78	399-5113-1-ND†	6.97	41.21	118.88	399-5113-2-ND†	4,000	114.00/M	C1206F104K1RACTU
		100	.27µF	±10%	1.25	399-3494-1-ND	13.21	78.07	225.19	399-3494-2-ND	2,500	216.00/M	C1206C274K1RACTU
		100	.39µF	±10%	1.6	399-3497-1-ND	15.98	94.45	272.44	399-3497-2-ND	2,000	262.00/M	C1206C394K1RACTU
		50	1000pF	±10%	0.78	399-1221-1-ND	1.32	7.80	22.50	399-1221-2-ND	4,000	22.00/M	C1206C102K5RACTU
		50	1200pF	±10%	0.78	399-1223-1-ND	3.30	19.50	56.25	399-1223-2-ND	4,000	54.00/M	C1206C122K5RACTU
		50	1500pF	±10%	0.78	399-1224-1-ND	3.30	19.50	56.25	399-1224-2-ND	4,000	54.00/M	C1206C152K5RACTU
		50	1800pF	±10%	0.78	399-1225-1-ND	3.30	19.50	56.25	399-1225-2-ND	4,000	54.00/M	C1206C182K5RACTU
		50	2200pF	±10%	0.78	399-1226-1-ND	1.71	10.08	29.06	399-1226-2-ND	4,000	28.00/M	C1206C222K5RACTU
		50	2700pF	±10%	0.78	399-1227-1-ND	3.30	19.50	56.25	399-1227-2-ND	4,000	54.00/M	C1206C272K5RACTU
		50	3300pF	±10%	0.78	399-1228-1-ND	3.30	19.50	56.25	399-1228-2-ND	4,000	54.00/M	C1206C332K5RACTU
		50	3900pF	±10%	0.78	399-1229-1-ND	3.30	19.50	56.25	399-1229-2-ND	4,000	54.00/M	C1206C392K5RACTU
		50	4700pF	±10%	0.78	399-1230-1-ND	1.71	10.08	29.06	399-1230-2-ND	4,000	28.00/M	C1206C472K5RACTU
		50	5600pF	±10%	0.78	399-1231-1-ND	3.30	19.50	56.25	399-1231-2-ND	4,000	54.00/M	C1206C562K5RACTU
		50	6800pF	±10%	0.78	399-1232-1-ND	3.30	19.50	56.25	399-1232-2-ND	4,000	54.00/M	C1206C682K5RACTU
		50	8200pF	±10%	0.78	399-1233-1-ND	3.30	19.50	56.25	399-1233-2-ND	4,000	54.00/M	C1206C822K5RACTU
		50	10000pF	±5%	0.78	399-1237-1-ND	1.65	9.75	28.13	399-1237-2-ND	4,000	27.00/M	C1206C103J5RACTU
		50	10000pF	±10%	0.78	399-1234-1-ND	1.21	7.15	20.63	399-1234-2-ND	4,000	20.00/M	C1206C103K5RACTU
		50	12000pF	±10%	0.78	399-1239-1-ND	3.74	22.10	63.75	399-1239-2-ND	4,000	61.00/M	C1206C123K5RACTU
		50	15000pF	±10%	0.78	399-1240-1-ND	3.74	22.10	63.75	399-1240-2-ND	4,000	61.00/M	C1206C153K5RACTU
		50	18000pF	±10%	0.78	399-1241-1-ND	3.74	22.10	63.75	399-1241-2-ND	4,000	61.00/M	C1206C183K5RACTU
		50	22000pF	±10%	0.78	399-1242-1-ND	1.65	9.75	28.13	399-1242-2-ND	4,000	27.00/M	C1206C223K5



外壳尺寸	类型	WV DC	电容	容差	尺寸 T (mm)	Digi-Key 零件编号	剪切带价格			Digi-Key 零件编号	带卷		Kemet 零件编号		
							10	100	500		数量	价格			
1206	X7R	16	2.2µF	±10%	1.6	399-1257-1-ND	4.73	27.95	80.63	399-1257-2-ND	2,000	77.00/M	C1206C225K4RACU		
		16	2.7µF	±10%	0.8	399-4941-1-ND	17.60	104.00	300.00	399-4941-2-ND	2,000	288.00/M	C1206C275K4RACU		
		16	3.3µF	±10%	1.0	399-4944-1-ND	18.70	110.50	318.75	399-4944-2-ND	2,500	306.00/M	C1206C335K4RACU		
		16	3.9µF	±10%	1.15	399-4947-1-ND	18.70	110.50	318.75	399-4947-2-ND	2,000	306.00/M	C1206C395K4RACU		
		16	4.7µF	±10%	1.25	399-3524-1-ND	19.80	117.00	337.50	399-3524-2-ND	2,500	324.00/M	C1206C475K4RACU		
		16	5.6µF	±10%	1.6	399-4952-1-ND	20.90	123.50	356.25	399-4952-2-ND	2,000	342.00/M	C1206C565K4RACU		
		16	6.8µF	±10%	1.6	399-4955-1-ND	22.00	130.00	375.00	399-4955-2-ND	2,000	360.00/M	C1206C685K4RACU		
		16	8.2µF	±20%	1.6	399-4960-1-ND	23.10	136.50	393.75	399-4960-2-ND	2,000	378.00/M	C1206C825M4RACU		
		16	10µF	±10%	1.6	399-3525-1-ND	25.30	149.50	431.25	399-3525-2-ND	2,000	414.00/M	C1206C106K4RACU		
		16	10µF	±20%	1.6	399-4939-1-ND	24.20	143.00	412.50	399-4939-2-ND	2,000	396.00/M	C1206C106M4RACU		
		10	1.2µF	±10%	1.0	399-1256-1-ND	14.30	84.50	243.75	399-1256-2-ND	4,000	234.00/M	C1206C125K8RACU		
		10	2.7µF	±10%	0.95	399-4942-1-ND	17.60	104.00	300.00	399-4942-2-ND	2,000	288.00/M	C1206C275K8RACU		
		10	3.3µF	±10%	1.0	399-4945-1-ND	18.70	110.50	318.75	399-4945-2-ND	2,500	306.00/M	C1206C335K8RACU		
		10	3.9µF	±10%	1.15	399-4948-1-ND	18.70	110.50	318.75	399-4948-2-ND	2,500	306.00/M	C1206C395K8RACU		
		10	4.7µF	±10%	1.25	399-4950-1-ND	6.60	39.00	112.50	399-4950-2-ND	2,500	108.00/M	C1206C475K8RACU		
		10	5.6µF	±10%	1.6	399-4953-1-ND	19.80	117.00	337.50	399-4953-2-ND	2,000	324.00/M	C1206C565K8RACU		
		10	6.8µF	±10%	1.6	399-4956-1-ND	20.90	123.50	356.25	399-4956-2-ND	2,000	342.00/M	C1206C685K8RACU		
		10	8.2µF	±10%	1.6	399-4958-1-ND	22.00	130.00	375.00	399-4958-2-ND	2,000	360.00/M	C1206C825K8RACU		
		10	10µF	±10%	1.6	399-4937-1-ND	6.82	40.30	116.25	399-4937-2-ND	2,000	112.00/M	C1206C106K8RACU		
		6.3	2.7µF	±10%	0.95	399-4943-1-ND	17.60	104.00	300.00	399-4943-2-ND	2,000	288.00/M	C1206C275K9RACU		
		6.3	3.3µF	±10%	1.0	399-4946-1-ND	18.70	110.50	318.75	399-4946-2-ND	2,500	306.00/M	C1206C335K9RACU		
		6.3	3.9µF	±10%	1.15	399-4949-1-ND	18.70	110.50	318.75	399-4949-2-ND	2,500	306.00/M	C1206C395K9RACU		
		6.3	4.7µF	±10%	1.25	399-4951-1-ND	6.60	39.00	112.50	399-4951-2-ND	2,500	108.00/M	C1206C475K9RACU		
		6.3	5.6µF	±10%	1.6	399-4954-1-ND	19.80	117.00	337.50	399-4954-2-ND	2,000	324.00/M	C1206C565K9RACU		
		6.3	6.8µF	±10%	1.6	399-4957-1-ND	20.90	123.50	356.25	399-4957-2-ND	2,000	342.00/M	C1206C685K9RACU		
		6.3	8.2µF	±10%	1.6	399-4959-1-ND	22.00	130.00	375.00	399-4959-2-ND	2,000	360.00/M	C1206C825K9RACU		
		6.3	10µF	±10%	1.6	399-4938-1-ND	6.82	40.30	116.25	399-4938-2-ND	2,000	112.00/M	C1206C106K9RACU		
		X5R	25	2.7µF	±10%	1.2	399-3139-1-ND	9.90	58.50	168.75	399-3139-2-ND	2,500	162.00/M	C1206C275K3PACU	
			25	3.3µF	±10%	1.6	399-3140-1-ND	11.00	65.00	187.50	399-3140-2-ND	2,000	180.00/M	C1206C335K3PACU	
			25	3.9µF	±10%	1.6	399-3141-1-ND	11.00	65.00	187.50	399-3141-2-ND	2,000	180.00/M	C1206C395K3PACU	
	25		4.7µF	±10%	1.6	399-3142-1-ND	8.25	48.75	140.63	399-3142-2-ND	2,000	135.00/M	C1206C475K3PACU		
	16		2.2µF	±10%	1.1	399-1263-1-ND	8.80	52.00	150.00	399-1263-2-ND	2,500	144.00/M	C1206C225K4PACU		
	16		3.3µF	±10%	1.6	399-1264-1-ND	11.00	65.00	187.50	399-1264-2-ND	2,000	180.00/M	C1206C335K4PACU		
	16		4.7µF	±10%	1.6	399-1265-1-ND	2.73	16.12	46.50	399-1265-2-ND	2,000	45.00/M	C1206C475K4PACU		
	16		10µF	±10%	1.6	399-5091-1-ND	3.85	22.75	65.63	399-5091-2-ND	2,000	60.00/M	C1206C106K4PACU		
	6.3		6.8µF	±10%	1.6	399-3025-1-ND	14.96	88.40	255.00	399-3025-2-ND	2,000	245.00/M	C1206C685K9PACU		
	6.3		10µF	±10%	1.6	399-3029-1-ND	2.42	14.30	41.25	399-3029-2-ND	2,000	40.00/M	C1206C106K9PACU		
	6.3		18µF	±10%	1.6	399-3228-1-ND	23.65	139.75	403.13	399-3228-2-ND	2,000	422.00/M	C1206C186K9PACU		
	6.3		22µF	±10%	1.6	399-3229-1-ND	7.48	44.20	127.50	399-3229-2-ND	2,000	122.00/M	C1206C226K9PACU		
	6.3		47µF	±20%	1.6	399-4695-1-ND	16.50	97.50	281.25	399-4695-2-ND	2,000	270.00/M	C1206C476M9PACU		
	Y5V		25	1µF	+80%, -20%	0.78	399-1296-1-ND	6.16	36.40	105.00	399-1296-2-ND	2,000	101.00/M	C1206C105Z3VACU	
			16	1.5µF	+80%, -20%	0.9	399-1297-1-ND	8.25	48.75	140.63	399-1297-2-ND	4,000	135.00/M	C1206C155Z4VACU	
			16	2.2µF	+80%, -20%	1.0	399-1260-1-ND	2.75	16.25	46.88	399-1260-2-ND	2,500	45.00/M	C1206C225Z4VACU	
			16	3.3µF	+80%, -20%	1.2	399-1261-1-ND	9.35	55.25	159.38	399-1261-2-ND	2,500	153.00/M	C1206C335Z4VACU	
			16	4.7µF	+80%, -20%	1.7	399-1262-1-ND	3.30	19.50	56.25	399-1262-2-ND	2,500	54.00/M	C1206C475Z4VACU	
			10	6.8µF	+80%, -20%	1.7	399-1298-1-ND	13.07	77.22	222.75	399-1298-2-ND	2,000	214.00/M	C1206C685Z8VACU	
			10	10µF	+80%, -20%	1.7	399-1299-1-ND	2.34	13.85	39.94	399-1299-2-ND	2,000	38.00/M	C1206C106Z8VACU	
			6.3	22µF	+80%, -20%	1.7	399-3028-1-ND	25.85	152.75	440.63	399-3028-2-ND	2,000	423.00/M	C1206C226Z9VACU	
			Z5U	50	1µF	+80%, -20%	0.78	399-1258-1-ND	1.21	7.15	20.63	399-1258-2-ND	4,000	20.00/M	C1206C104Z5UACU
				50	1µF	±20%	0.78	399-1259-1-ND	1.21	7.15	20.63	399-1259-2-ND	4,000	20.00/M	C1206C104M5UACU
	1210		COG(NP0)	50	10000pF	±5%	1.1	399-1266-1-ND	34.77	205.47	592.69	399-1266-2-ND	2,500	569.00/M	C1210C103J5GACU
				2000	100pF	±10%	1.4	399-3439-1-ND	13.20	78.00	225.00	399-3439-2-ND	2,000	216.00/M	C1210C101KGRACU
				2000	680pF	±10%	1.3	399-3441-1-ND	13.20	78.00	225.00	399-3441-2-ND	2,000	216.00/M	C1210C681KGRACU
				2000	1800pF	±5%	2.57	399-4821-1-ND	29.50	174.33	502.88	399-4821-2-ND	2,000	483.00/M	C1210C182JGRACU
				2000	2200pF	±5%	2.57	399-4822-1-ND	29.50	174.33	502.88	399-4822-2-ND	1,500	483.00/M	C1210C222JGRACU
				1500	220pF	±10%	1.4	399-3440-1-ND	13.20	78.00	225.00	399-3440-2-ND	2,000	216.00/M	C1210C221KFRACU
				1000	10000pF	±5%	2.03	399-5106-1-ND	26.70	157.76	455.06	399-5106-2-ND	2,000	413.00/M	C1210C103JDRACU
		250		10000pF	±10%	0.78	399-4675-1-ND	13.86	81.90	236.25	399-4675-2-ND	4,000	227.00/M	C1210C103KARACU	
		250		1µF	±10%	1.25	399-4676-1-ND	16.86	99.65	287.44	399-4676-2-ND	2,500	276.00/M	C1210C104KARACU	
		100		1µF	±10%	0.95	399-1268-1-ND	4.07	24.05	69.38	399-1268-2-ND	4,000	67.00/M	C1210C104K1RACU	
		50	1µF	±10%	0.78	399-1267-1-ND	3.63	21.45	61.88	399-1267-2-ND	4,000	59.00/M	C1210C104K5RACU		
		X7R	50	22µF	±10%	0.9	399-1269-1-ND	4.40	26.00	75.00	399-1269-2-ND	4,000	72.00/M	C1210C224K5RACU	
			50	39µF	±10%	0.95	399-3087-1-ND	18.15	107.25	309.38	399-3087-2-ND	4,000	297.00/M	C1210C394K5RACU	
			50	47µF	±10%	0.95	399-3089-1-ND	18.15	107.25	309.38	399-3089-2-ND	4,000	297.00/M	C1210C474K5RACU	
			50	56µF	±10%	0.95	399-3091-1-ND	18.15	107.25	309.38	399-3091-2-ND	4,000	297.00/M	C1210C564K5RACU	
			50	68µF	±10%	0.95	399-3092-1-ND	18.15	107.25	309.38	399-3092-2-ND	4,000	297.00/M	C1210C684K5RACU	
			50	82µF	±10%	1.1	399-3093-1-ND	19.80	117.00	337.50	399-3093-2-ND	2,500	324.00/M	C1210C824K5RACU	
			25	1µF	±10%	1.55	399-3076-1-ND	6.88	40.63	117.19	399-3076-2-ND	2,000	113.00/M	C1210C105K5RACU	
			25	1µF	±10%	1.55	399-5116-1-ND†	19.21	113.49	327.38	399-5116-2-ND†	2,000	297.00/M	C1210F105K5RACU	
			25	1.2µF	±10%	1.55	399-3078-1-ND	19.80	117.00	337.50	399-3078-2-ND	4,000	324.00/M	C1210C125K3RACU	
			25	1.5µF	±10%	1.55	399-3080-1-ND	19.80	117.00	337.50	399-3080-2-ND	4,000	324.00/M	C1210C155K3RACU	
			25	1.8µF	±10%	1.55	399-3082-1-ND	16.50	97.50	281.25	399-3082-2-ND	2,000	270.00/M	C1210C185K3RACU	
			25	2.2µF	±10%	1.85	399-3084-1-ND	16.50	97.50	281.25	399-3084-2-ND	2,000	270.00/M	C1210C225K3RACU	
			X5R	25	1.2µF	±10%	0.95	399-3077-1-ND	9.35	55.25	159.38	399-3077-2-ND	2,000	153.00/M	C1210C125K3PACU
				25	1.5µF	±10%	0.95	399-3079-1-ND	9.35	55.25	159.38	399-3079-2-ND	2,000	153.00/M	C1210C155K3PACU
				25	1.8µF	±10%	0.95	399-3081-1-ND	9.35	55.25	159.38	399-3081-2-ND</			



外壳尺寸	类型	WV DC	电容	容差	尺寸 T (mm)	Digi-Key 零件编号	剪切带价格			Digi-Key 零件编号	带卷		Kemet 零件编号	
							10	100	500		数量	价格		
1210	X5R	6.3	18µF	±10%	1.4	399-3301-1-ND	25.30	149.50	431.25	399-3301-2-ND	2,500	414.00/M	C1210C186K9PACTU	
		6.3	22µF	±10%	1.55	399-3303-1-ND	20.90	123.50	356.25	399-3303-2-ND	2,000	342.00/M	C1210C226K9PACTU	
		6.3	47µF	±20%	2.5	399-4961-1-ND	26.95	159.25	459.38	399-4961-2-ND	1,500	441.00/M	C1210C476M9PACTU	
		6.3	100µF	±20%	2.1	399-4697-1-ND	33.00	195.00	562.50	399-4697-2-ND	1,500	540.00/M	C1210C107M9PACTU	
	Y5V	16	4.7µF	+80%, -20%	1.25	399-1270-1-ND	15.40	91.00	262.50	399-1270-2-ND	2,500	252.00/M	C1210C475Z4VACTU	
		16	6.8µF	+80%, -20%	1.55	399-1271-1-ND	18.70	110.50	318.75	399-1271-2-ND	4,000	306.00/M	C1210C685Z4VACTU	
		16	10µF	+80%, -20%	1.85	399-1272-1-ND	8.69	51.35	148.13	399-1272-2-ND	2,000	142.00/M	C1210C106Z4VACTU	
		10	15µF	+80%, -20%	1.85	399-1300-1-ND	26.13	154.38	445.31	399-1300-2-ND	2,500	428.00/M	C1210C156Z8VACTU	
		10	22µF	+80%, -20%	2.1	399-1301-1-ND	19.80	117.00	337.50	399-1301-2-ND	1,500	324.00/M	C1210C226Z8VACTU	
		2500	160pF	±5%	2.03	399-4824-1-ND	41.80	247.00	712.50	399-4824-2-ND	1,000	684.00	C1808C161JZGACTU	
		2500	180pF	±5%	2.03	399-4825-1-ND	41.80	247.00	712.50	399-4825-2-ND	1,000	684.00	C1808C181JZGACTU	
		2500	200pF	±5%	2.03	399-4826-1-ND	41.80	247.00	712.50	399-4826-2-ND	1,000	684.00	C1808C201JZGACTU	
1808	COG (NPO)	2500	220pF	±5%	2.03	399-4827-1-ND	42.90	253.50	731.25	399-4827-2-ND	1,000	702.00	C1808C221JZGACTU	
		2500	240pF	±5%	2.03	399-4828-1-ND	42.90	253.50	731.25	399-4828-2-ND	1,000	702.00	C1808C241JZGACTU	
		2500	270pF	±5%	2.03	399-4829-1-ND	42.90	253.50	731.25	399-4829-2-ND	1,000	702.00	C1808C271JZGACTU	
		2500	300pF	±5%	2.03	399-4831-1-ND	42.90	253.50	731.25	399-4831-2-ND	1,000	702.00	C1808C301JZGACTU	
	2500	330pF	±5%	2.03	399-4832-1-ND	42.90	253.50	731.25	399-4832-2-ND	1,000	702.00	C1808C331JZGACTU		
	3000	100pF	±10%	1.4	399-3442-1-ND	18.70	110.50	318.75	399-3442-2-ND	1,000	306.00	C1808C101KHRACTU		
	2000	1000pF	±10%	1.65	399-3443-1-ND	20.35	120.25	346.88	399-3443-2-ND	1,000	333.00	C1808C102KHRACTU		
	2000	2700pF	±10%	2.03	399-4830-1-ND	36.08	213.20	615.00	399-4830-2-ND	1,000	590.00	C1808C272KGRRACTU		
	1000	10000pF	±10%	1.9	399-3444-1-ND	18.70	110.50	318.75	399-3444-2-ND	1,000	306.00	C1808C103KDRRACTU		
	1000	15000pF	±10%	2.03	399-4823-1-ND	32.55	192.34	554.81	399-4823-2-ND	1,000	533.00	C1808C153KDRRACTU		
	1812	COG (NPO)	2500	240pF	±5%	1.7	399-4835-1-ND	50.60	299.00	862.50	399-4835-2-ND	1,000	828.00	C1812C241JZGACTU
			2500	270pF	±5%	1.7	399-4836-1-ND	50.60	299.00	862.50	399-4836-2-ND	1,000	828.00	C1812C271JZGACTU
2500			300pF	±5%	1.7	399-4837-1-ND	50.60	299.00	862.50	399-4837-2-ND	1,000	828.00	C1812C301JZGACTU	
2500			330pF	±5%	1.7	399-4838-1-ND	51.70	305.50	881.25	399-4838-2-ND	1,000	846.00	C1812C331JZGACTU	
2500			360pF	±5%	1.7	399-4840-1-ND	51.70	305.50	881.25	399-4840-2-ND	1,000	846.00	C1812C361JZGACTU	
2500			390pF	±5%	1.7	399-4841-1-ND	51.70	305.50	881.25	399-4841-2-ND	1,000	846.00	C1812C391JZGACTU	
2500		430pF	±5%	1.7	399-4843-1-ND	52.80	312.00	900.00	399-4843-2-ND	1,000	864.00	C1812C431JZGACTU		
2500		470pF	±5%	1.7	399-4844-1-ND	52.80	312.00	900.00	399-4844-2-ND	1,000	864.00	C1812C471JZGACTU		
1000		1000pF	±10%	1.4	399-3445-1-ND	18.15	107.25	309.38	399-3445-2-ND	1,000	297.00	C1812C102KDRRACTU		
3000		1000pF	±10%	1.65	399-3448-1-ND	21.45	126.75	365.63	399-3448-2-ND	1,000	351.00	C1812C102KHRACTU		
2000		1000pF	±10%	1.65	399-3447-1-ND	18.15	107.25	309.38	399-3447-2-ND	1,000	297.00	C1812C102KGRRACTU		
2000		3300pF	±10%	1.7	399-4839-1-ND	38.64	228.35	658.69	399-4839-2-ND	1,000	632.00	C1812C332KGRRACTU		
2000		3900pF	±10%	1.7	399-4842-1-ND	38.67	228.48	659.06	399-4842-2-ND	1,000	633.00	C1812C392KGRRACTU		
1000		1000pF	±10%	1.0	399-3446-1-ND	15.40	91.00	262.50	399-3446-2-ND	1,000	252.00	C1812C102KDRRACTU		
1000		4700pF	±10%	1.0	399-3452-1-ND	15.95	94.25	271.88	399-3452-2-ND	1,000	261.00	C1812C472KDRRACTU		
1000		10000pF	±10%	1.5	399-3450-1-ND	16.50	97.50	281.25	399-3450-2-ND	1,000	270.00	C1812C103KDRRACTU		
1000		18000pF	±10%	1.7	399-4833-1-ND	34.86	205.99	594.19	399-4833-2-ND	1,000	570.00	C1812C183KDRRACTU		
1000		22000pF	±10%	1.7	399-4834-1-ND	34.88	206.12	594.56	399-4834-2-ND	1,000	571.00	C1812C223KDRRACTU		
500		10000pF	±10%	1.15	399-3449-1-ND	14.85	87.75	253.13	399-3449-2-ND	1,000	243.00	C1812C103KDRRACTU		
500		47000pF	±10%	1.65	399-3453-1-ND	16.50	97.50	281.25	399-3453-2-ND	1,000	270.00	C1812C473KGRRACTU		
250		.1µF	±5%	1.0	399-4677-1-ND	41.80	247.00	712.50	399-4677-2-ND	1,000	684.00	C1812C104ARACTU		
250		.1µF	±10%	1.0	399-4678-1-ND	27.82	164.39	474.19	399-4678-2-ND	1,000	455.00	C1812C104ARACTU		
250		.22µF	±5%	1.5	399-4679-1-ND	43.89	259.35	748.13	399-4679-2-ND	1,000	718.00	C1812C224ARACTU		
250		.22µF	±10%	1.5	399-4680-1-ND	29.21	172.58	497.81	399-4680-2-ND	1,000	478.00	C1812C224ARACTU		
250	.33µF	±5%	1.5	399-4681-1-ND	43.89	259.35	748.13	399-4681-2-ND	1,000	718.00	C1812C334ARACTU			
250	.33µF	±10%	1.5	399-4682-1-ND	29.21	172.58	497.81	399-4682-2-ND	1,000	478.00	C1812C334ARACTU			
250	.47µF	±5%	1.7	399-4683-1-ND	43.89	259.35	748.13	399-4683-2-ND	1,000	718.00	C1812C474ARACTU			
250	.47µF	±10%	1.7	399-4684-1-ND	29.21	172.58	497.81	399-4684-2-ND	1,000	478.00	C1812C474ARACTU			
50	.47µF	±10%	1.0	399-3454-1-ND	20.68	122.20	352.50	399-3454-2-ND	1,000	338.00	C1812C474KARACTU			
50	.68µF	±10%	1.1	399-3455-1-ND	26.62	157.30	457.75	399-3455-2-ND	1,000	436.00	C1812C684KARACTU			
50	1µF	±10%	1.3	399-3451-1-ND	22.00	130.00	375.00	399-3451-2-ND	1,000	360.00	C1812C105KARACTU			
1825	COG (NPO)	2500	510pF	±5%	1.7	399-4847-1-ND	101.20	598.00	1725.00	399-4847-2-ND	1,000	1656.00	C1825C511JZGACTU	
		2500	560pF	±5%	1.7	399-4848-1-ND	101.20	598.00	1725.00	399-4848-2-ND	1,000	1656.00	C1825C561JZGACTU	
		2500	620pF	±5%	1.7	399-4849-1-ND	101.20	598.00	1725.00	399-4849-2-ND	1,000	1656.00	C1825C621JZGACTU	
		2500	680pF	±5%	1.7	399-4850-1-ND	101.20	598.00	1725.00	399-4850-2-ND	1,000	1656.00	C1825C681JZGACTU	
		2500	750pF	±5%	1.7	399-4851-1-ND	103.40	611.00	1762.50	399-4851-2-ND	1,000	1692.00	C1825C751JZGACTU	
		2500	820pF	±5%	1.7	399-4852-1-ND	103.40	611.00	1762.50	399-4852-2-ND	1,000	1692.00	C1825C821JZGACTU	
	2500	910pF	±5%	1.7	399-4854-1-ND	103.40	611.00	1762.50	399-4854-2-ND	1,000	1692.00	C1825C911JZGACTU		
	2500	1000pF	±5%	1.7	399-4845-1-ND	103.40	611.00	1762.50	399-4845-2-ND	1,000	1692.00	C1825C102JZGACTU		
	2000	8200pF	±10%	1.7	399-4853-1-ND	81.13	479.38	1382.81	399-4853-2-ND	1,000	1328.00	C1825C822KGRRACTU		
	1000	47000pF	±10%	1.7	399-4846-1-ND	73.15	432.25	1246.88	399-4846-2-ND	1,000	1197.00	C1825C473KDRRACTU		
	250	.47µF	±10%	1.3	399-4685-1-ND	60.50	357.50	1031.25	399-4685-2-ND	1,000	990.00	C1825C474KARACTU		
	250	.68µF	±10%	1.3	399-4686-1-ND	60.50	357.50	1031.25	399-4686-2-ND	1,000	990.00	C1825C684KARACTU		
	250	1µF	±10%	1.5	399-4687-1-ND	60.50	357.50	1031.25	399-4687-2-ND	1,000	990.00	C1825C105KARACTU		
	50	.47µF	±10%	1.1	399-3457-1-ND	54.45	321.75	928.13	399-3457-2-ND	1,000	891.00	C1825C474KARACTU		
	50	1µF	±10%	1.1	399-3456-1-ND	60.50	357.50	1031.25	399-3456-2-ND	1,000	990.00	C1825C105KARACTU		
	2220	COG (NPO)	2500	620pF	±5%	1.7	399-4857-1-ND	167.20	988.00	2850.00	399-4857-2-ND	1,000	2736.00	C2220C621JZGACTU
			2500	680pF	±5%	1.7	399-4858-1-ND	167.20	988.00	2850.00	399-4858-2-ND	1,000	2736.00	C2220C681JZGACTU
			2500	750pF	±5%	1.7	399-4859-1-ND	168.30	994.50	2868.75	399-4859-2-ND	1,000	2754.00	C2220C751JZGACTU
			2500	820pF	±5%	1.7	399-4860-1-ND	168.30	994.50	2868.75	399-4860-2-ND	1,000	2754.00	C2220C821JZGACTU
			2500	910pF	±5%	1.7	399-4862-1-ND	168.30	994.50	2868.75	399-4862-2-ND	1,000	2754.00	C2220C911JZGACTU
			2500	1000pF	±5%	1.7	399-4855-1-ND	168.30	994.50	2868.75	399-4855-2-ND	1,000	2754.00	C2220C102JZGACTU
		2000	8200pF	±10%	1.7	399-4861-1-ND	127.60	754.00	2175.00	399-4861-2-ND	1,000	2088.00	C2220C822K	