


**Threaded Standoffs**

- Brass: ASTM-B16
- Plating: Zinc (ASTM B633)
- Aluminum: QQ-A-225/3, Alloy 2011-T3
- Plating: Clear Iridite (Mil-C-5541)



Note: Spacers over 1.000 long are tapped .375 deep each end.

Thread	O.D.	"L" Length (Inch)	Hex Thread Part No.	Pricing		Round Thread Part No.	Pricing	
				10	100		10	100
<b>Aluminum</b>								
2-56	.156	.187	1797AK-ND	6.74	61.30	1801AK-ND	5.96	57.15
		.250	1797BK-ND	7.24	65.60	1801BK-ND	5.89	56.50
		.312	1797CK-ND	7.53	68.30	1801CK-ND	6.38	61.30
		.375	1797DK-ND	7.30	70.30	1801DK-ND	7.84	71.20
4-40	.187	.250	1891K-ND	3.36	27.70	2025K-ND	3.33	25.75
		.375	1892K-ND	3.95	31.95	2026K-ND	3.85	30.60
		.500	1893K-ND	4.35	37.35	2027K-ND	4.24	36.70
		.625	1894K-ND	4.47	40.95	2028K-ND	4.39	39.15
		.750	1895K-ND	4.96	45.35	2029K-ND	4.89	42.20
		.875	1896K-ND	5.45	49.85	2030K-ND	5.35	47.35
		1.000	1897K-ND	7.26	65.80	2031K-ND	7.26	65.80
4-40	.250	.250	2201K-ND	3.25	26.65	3478K-ND	2.95	23.65
		.375	2202K-ND	3.64	29.70	3479K-ND	3.26	26.65
		.500	2203K-ND	4.03	32.50	3480K-ND	3.67	29.05
		.625	1808K-ND	4.34	36.25	1839K-ND	3.98	32.30
		.750	2204K-ND	4.29	38.95	3481K-ND	4.47	36.25
		.875	1809K-ND	5.58	53.55	1846K-ND	5.85	53.35
		1.000	2205K-ND	6.62	60.10	3482K-ND	6.46	58.95
		1.500	2206K-ND	11.28	102.25	3483K-ND	10.91	98.90
		2.000	2207K-ND	12.25	117.55	3484K-ND	11.90	114.40
		6-32	.250	.250	2208K-ND	3.25	26.65	3485K-ND
.375	2209K-ND			3.64	29.70	3486K-ND	3.26	26.65
.500	2210K-ND			4.03	32.50	3487K-ND	3.67	29.05
.625	1813K-ND			4.59	36.45	1847K-ND	4.36	42.20
.750	2211K-ND			4.29	38.95	3488K-ND	4.47	36.25
.875	1816K-ND			4.57	42.75	1848K-ND	4.30	39.15
1.000	2212K-ND			6.62	60.10	3489K-ND	6.46	58.95
1.250	1818K-ND			9.99	91.15	1853K-ND	9.79	88.75
1.500	2213K-ND			11.28	102.25	3490K-ND	10.91	98.90
1.750	1819K-ND			11.77	106.75	1855K-ND	10.90	104.85
2.000	2214K-ND			12.25	117.55	3491K-ND	11.90	114.40
2.250	1820K-ND			13.60	130.85	1856K-ND	14.07	127.90
2.500	1825K-ND			14.87	142.90	1857K-ND	14.51	140.05
8-32	.250	.250	2215K-ND	3.25	26.65	3492K-ND	2.95	23.65
		.375	2216K-ND	3.64	29.70	3493K-ND	3.26	26.65
		.500	2217K-ND	4.03	32.50	3494K-ND	3.67	29.05
		.625	1827K-ND	4.44	42.75	1858K-ND	3.98	32.30
		.750	2218K-ND	4.79	46.00	3495K-ND	4.47	36.25
		.875	1828K-ND	5.95	57.15	1859K-ND	4.33	39.15
		1.000	2219K-ND	6.62	60.10	3496K-ND	6.46	58.95
8-32	.375	1.500	2220K-ND	11.28	102.25	3497K-ND	10.44	98.90
		2.000	2221K-ND	12.25	117.55	3498K-ND	11.90	114.40
		.375	1926AK-ND	5.83	53.35	2315AK-ND	8.62	83.05
		.500	1926BK-ND	6.10	55.35	2315BK-ND	9.11	87.40
		.625	1926CK-ND	7.52	72.00	2315CK-ND	10.43	94.85
8-32	.750	1.000	1926DK-ND	9.28	84.50	2315DK-ND	11.19	101.80
2.000	1926EK-ND	10.60	102.60	2315EK-ND	12.56	121.30		
<b>Brass</b>								
2-56	.156	.187	1798AK-ND	7.73	74.25	1802AK-ND	7.30	70.00
		.250	1798BK-ND	9.80	89.00	1802BK-ND	8.34	75.95
		.312	1798CK-ND	11.10	106.75	1802CK-ND	8.64	78.40
		.375	1798DK-ND	12.69	115.00	1802DK-ND	8.64	78.40
4-40	.187	.250	1450K-ND	4.67	26.90	1547K-ND	4.69	24.80
		.375	1803K-ND	5.47	44.20	1864K-ND	5.40	42.30
		.500	1656K-ND	5.61	51.75	1657K-ND	5.55	50.40
		.625	1804K-ND	6.82	61.65	1865K-ND	6.80	60.55
		.750	1656AK-ND	7.71	69.40	1657AK-ND	7.51	68.30
		.875	1805K-ND	9.46	86.75	1866K-ND	9.44	84.15
4-40	.250	1.000	1656BK-ND	9.94	90.90	1657BK-ND	9.86	89.35
		.250	1450AK-ND	4.36	34.90	1547AK-ND	5.02	48.40
		.375	1450BK-ND	5.46	43.10	1547BK-ND	5.88	56.70
		.500	1450CK-ND	5.52	51.55	1547CK-ND	7.17	68.85
		.625	1829K-ND	7.46	68.50	1867K-ND	8.60	78.40
		.750	1450DK-ND	8.53	80.10	1547DK-ND	9.63	87.85
		.875	1830K-ND	9.08	83.70	1876K-ND	10.85	98.35
		1.000	1450EK-ND	9.33	87.55	1547EK-ND	9.96	89.01
		1.500	1831K-ND	20.78	200.15	1877K-ND	20.29	194.30
		2.000	1832K-ND	21.30	205.00	1878K-ND	19.98	197.80
6-32	.250	.250	1451AK-ND	4.36	34.90	1548AK-ND	4.35	34.90
		.375	1451BK-ND	5.46	43.10	1548BK-ND	4.76	39.15
		.500	1451CK-ND	5.52	51.55	1548CK-ND	5.55	50.40
		.625	1451DK-ND	7.46	68.50	1548DK-ND	6.07	57.05
		.750	1451EK-ND	8.53	80.10	1548EK-ND	7.15	69.65
		.875	1833K-ND	9.08	83.70	1879K-ND	8.51	80.10
		1.000	1635K-ND	9.61	87.55	1548FK-ND	8.84	81.55
6-32	.250	1.250	1636K-ND	14.29	137.25	1881K-ND	14.90	135.25
		1.500	1637K-ND	17.56	159.20	1882K-ND	20.16	194.30
		1.750	1638K-ND	21.05	202.85	1883K-ND	20.42	196.75
		2.000	1639K-ND	21.30	205.00	1884K-ND	20.60	197.80

Thread	O.D.	"L" Length (Inch)	Hex Thread Part No.	Pricing		Round Thread Part No.	Pricing	
				10	100		10	100
6-32	.250	2.250	1642K-ND	21.73	209.60	1885K-ND	21.13	203.65
		2.500	1643K-ND	22.36	215.45	1886K-ND	21.73	209.60
8-32	.250	.250	1474AK-ND	4.36	34.90	1692AK-ND	6.01	57.40
		.375	1474BK-ND	5.46	43.10	1692BK-ND	6.69	60.85
		.500	1474CK-ND	5.52	51.55	1692CK-ND	8.52	77.40
		.625	1834K-ND	7.46	68.50	1877K-ND	9.75	88.55
		.750	1474DK-ND	8.53	80.10	1692DK-ND	11.55	104.85
		.875	1836K-ND	9.77	83.70	1888K-ND	11.05	100.35
		1.000	1474EK-ND	9.61	87.55	1692EK-ND	11.20	107.90
		1.500	1837K-ND	20.78	200.15	1889K-ND	20.16	194.30
		2.000	1838K-ND	21.30	205.00	1899K-ND	21.66	208.90
		8-32	.375	.375	1452AK-ND	9.84	84.15	1549AK-ND
.500	1452BK-ND			11.25	108.25	1549BK-ND	13.53	122.75
.625	1452CK-ND			14.62	140.20	1549CK-ND	14.23	135.25
.750	1452DK-ND			15.81	150.85	1549DK-ND	15.60	148.15
1.000	1452EK-ND			20.24	195.40	1549EK-ND	19.80	182.50

◆ RoHS Compliant


1/4" Hex Threaded Standoff Kit

Aluminum - Assortment of 1500 pieces in 1/4", 3/8", 1/2", 3/4" and 1" lengths with thread sizes of 4-40, 6-32 and 8-32. 100 pieces of each size complete with cabinet.

STH-22KIT-ND (RoHS Compliant) ..... \$738.15

**Male/Female .250" Hex Threaded Standoffs**

- Brass: ASTM-B16
- Plating: Nickel (QQ-N-290)



- Aluminum: QQ-Q-225/3
- Plating: Clear Iridite (Mil-C-5541)

Length (Inch)	4-40 Thread Part No.	Pricing		6-32 Thread Part No.	Pricing		8-32 Thread Part No.	Pricing	
		10	100		10	100		10	100
<b>Aluminum</b>									
.250	8714K-ND*	3.77	36.25	8717K-ND*	4.18	40.50	—	—	—
.375	8400K-ND†	4.28	41.30	8413K-ND†	4.43	42.65	8426K-ND†	5.87	56.25
.500	8401K-ND*	5.96	57.15	8414K-ND*	4.49	43.20	8427K-ND*	5.96	57.15
.625	8402K-ND*	6.42	61.65	8415K-ND*	5.66	54.95	8428K-ND*	6.42	61.65
.750	8403K-ND*	6.53	62.55	8416K-ND*	6.07	55.15	8429K-ND*	6.83	65.60
.875	8404K-ND*	7.09	68.05	8417K-ND*	6.61	60.10	8430K-ND*	8.07	73.15
1.000	8405K-ND*	7.49	71.80	8418K-ND*	6.53	62.55	8431K-ND*	8.05	77.20
1.125	8406K-ND*	9.18	88.30	8419K-ND*	6.73	64.70	8432K-ND*	11.48	104.30
1.250	8407K-ND*	9.86	89.35	8420K-ND*	7.19	68.85	8433K-ND*	11.89	108.10
1.375	8408K-ND*	11.55	104.75	8421K-ND*	8.67	78.55	8434K-ND*	12.84	116.65
1.500	8409K-ND*	11.82	107.20	8422K-ND*	9.33	89.55	8435K-ND*	12.97	117.55
1.625	8410K-ND*	11.44	110.05	8423K-ND*	10.07	91.35	8436K-ND*	13.10	118.90
1.750	8411K-ND*	12.43	112.95	8424K-ND*	10.56	95.85	8437K-ND*	13.24	120.15
2.000	8412K-ND*	12.84	116.65	8425K-ND*	10.14	97.30	8438K-ND*	13.38	121.30
<b>Brass</b>									
.250	8713K-ND*	5.43	51.75	8716K-ND*	5.30	51.20	—	—	—
.375	7200K-ND†	6.37	57.85	7210K-ND†	6.57	59.65	7220K-ND†	7.19	68.85
.500	1944K-ND*	7.82	75.25	1952K-ND*	6.75	64.90	1957K-ND*	7.26	69.65
.625	1945K-ND*	7.95	76.30	1953K-ND*	9.12	82.70	1958K-ND*	10.73	97.20
.750	1946K-ND*	9.47	90.90	1954K-ND*	9.58	86.85	1959K-ND*	10.60	101.95
.875	7201K-ND*	10.19	92.50	7211K-ND*	10.35	9			